

GLOBAL WATER TESTING SUMMARY

Group 1 Factory overview

Incoming water


	1	2	3	4	5	6	7	8	9	10	11	
Factory Type	Mill	Garment	Garment	Garment	Dyeing	Mill	Laundry	Garment	Garment	Dyeing	Finishing	Factories
Phthalates (Ortho-Phthalates)	-	1	-	-	-	-	-	-	-	1	-	2
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	-	-	-	-	-	-	-	-	-	-	-	0
Perfluorinated Chemicals (PFCs)	-	-	-	-	-	-	-	-	-	1	-	1
Brominated And Chlorinated Flame Retardants	-	-	-	-	-	-	-	-	-	-	-	0
Azo Dyes	-	-	-	-	-	-	-	-	-	-	-	0
Organotin Compounds	-	-	-	-	-	-	-	-	-	-	-	0
Chlorinated Benzenes	-	-	-	-	-	-	-	-	-	-	-	0
Chlorinated Solvents	-	-	-	1	1	-	1	1	-	-	-	4
Chlorophenols	-	-	-	-	-	-	-	-	-	-	-	0
Short-Chained Chlorinated Paraffins (SCCPs)	-	-	-	-	-	-	-	-	-	-	-	0
Heavy Metals	1	1	-	1	1	1	1	1	1	1	1	10
Total	1	2	0	2	2	1	2	2	1	3	1	

Group 1 Factory overview

Wastewater Before Treatment

	1	2	3	4	5	6	7	8	9	10	11	
Factory Type	Mill	Garment	Garment	Garment	Dyeing	Mill	Laundry	Garment	Garment	Dyeing	Finishing	Factories
Phthalates (Ortho-Phthalates)	-	1	-	-	1	-	-	-	-	1	1	4
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	-	-	-	1	-	1	-	-	1	-	-	3
Perfluorinated Chemicals (PFCs)	-	-	-	-	-	-	-	1	-	1	-	2
Brominated And Chlorinated Flame Retardants	-	-	-	-	-	-	-	-	1	1	-	2
Azo Dyes	1	-	-	1	-	-	-	-	1	-	-	3
Organotin Compounds	-	1	-	-	-	-	-	-	-	-	-	1
Chlorinated Benzenes	-	-	-	1	-	-	-	-	1	-	-	2
Chlorinated Solvents	-	-	-	1	1	-	1	1	1	-	-	5
Chlorophenols	-	-	-	-	-	-	-	-	-	-	-	0
Short-Chained Chlorinated Paraffins (SCCPs)	-	-	-	-	-	-	-	-	1	-	-	1
Heavy Metals	1	1	-	1	1	1	1	1	1	1	1	10
Total	2	3	0	5	3	2	2	3	7	4	2	
Total of both charts	3	5	0	7	5	3	4	5	8	7	3	

Incoming v waste water before treatment by chemical



GLOBAL WATER TESTING SUMMARY

Group 1 Detox Test Summary

Chemical substances	Detection limit	Incoming	1		Incoming Tap	2		3		4		5		6		7		8		9		10		11	
			WW before treat 1	WW before treat 2		Incoming Recycled	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1
Phthalates (Ortho-Phthalates)	Bis (2-ethylhexyl) phthalate (DEHP)	1 ug/L	-	-	-	17	260	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1.5	-	-	
	Butyl benzyl phthalate (BBP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-n-butyl phthalate (DBP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	
	Diethyl phthalate	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	
	Dimethyl phthalate	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-n-octyl phthalate (DNOP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-isononyl phthalate (DINP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-iso-decyl phthalate (DIDP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-isobutyl phthalate (DIBP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-n-hexyl phthalate	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Dimethoxyethyl phthalate (DMEP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-n-propyl phthalate (DPRP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-iso-octyl phthalate (DIOP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Di-cyclohexyl phthalate (DCHP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Dinonyl phthalate (DNP)	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	Nonylphenol	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Octylphenol	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonylphenol monoethoxylates, NP1EO	5 ug/L	-	-	-	-	-	-	-	-	44	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonylphenol diethoxylates, NP2EO	5 ug/L	-	-	-	-	-	-	-	-	44	-	-	-	-	-	-	-	-	-	1.7	-	-	-	
	Octylphenol monoethoxylates, OP1EO	5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Octylphenol monoethoxylates, OP2EO	5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonylphenoethoxylates, n=4 to n=15	5 ug/L	-	-	-	-	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	
Perfluorinated Chemicals (PFCs)	Perfluorooctanoic acid (PFOA)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	-	-	-	-	
	Perfluorooctane sulphonates (PFOS)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Perfluoro-n-hexanoic acid (PFHxA)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Perfluorohexane sulphonates (PFHxS)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Perfluorobutanoic acid (PFBA)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	0.02	-	
	Perfluorobutane sulphonates (PFBS)	0.01 µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Brominated And Chlorinated Flame Retardants	Polybromodiphenyl ethers (PBDEs)	0.05 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polybromobiphenyls (PBBs)		0.05 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tris(2,3-dibromopropyl) phosphate (TRIS)		0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tetrabromobisphenol A (TBBPA)		0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tris(2-chloroethyl) phosphate (TCEP)		0.05 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-	
Bis(2,3-dibromopropyl) phosphate		0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hexabromocyclododecane (HBCDD)		0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)		0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)		0.05 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

GLOBAL WATER TESTING SUMMARY

Group 1 Detox Test Summary

Chemical substances	Detection limit	1		2			3		4		5		6		7		8		9		10		11		
		Incoming	WW before treat 1	WW before treat 2	Incoming Tap	Incoming Recycled	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1
Azo Dyes	1,4-Phenylenediamine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,4,5-Trimethylaniline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,4-Diaminoanisole	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,4-Diaminotoluene	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,4-Xylidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,6-Xylidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2-Chloroaniline	0.1 ug/L	-	0.26	5.24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2-Naphthylamine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3,3'-Dichlorobenzidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3,3'-Dimethoxybenzidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3,3'-Dimethylbenzidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4,4'-Diaminodiphenylmethane	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4,4'-Methylene-bis(2-chloroaniline)	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4,4'-Oxydianiline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4,4'-Thiodianiline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4-Aminobiphenyl	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4-Chloroaniline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4-Chloro-o-toluidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5-Nitro-o-anisidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5-Nitro-o-toluidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4-Aminoazobenzene	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Aniline	0.1 ug/L	-	0.48	1.98	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	11	-	-	-	-
	Benzidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	m-Toluidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	n,n-Diethylaniline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n-Ethylaniline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
n-Methylaniline	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
o-Aminoazotoluene	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
o-Anisidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
o-Toluidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
p-Cresidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
p-Toluidine	0.1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Organotin Compounds	Monobutyltin	0.01 ug/L	-	-	-	-	-	0.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Dibutyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Tributyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Tetrabutyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Monooctyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Diocetyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Triphenyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Tricyclohexyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Triocetyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Tripropyltin	0.01 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chlorinated Benzenes	Chlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4-Chlorotoluene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2-Dichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,3-Dichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,4-Dichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	-	-	-	
	1,2,4-Trichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2,3-Trichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,3,5-Trichlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2,3,4-Tetrachlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2,3,5-Tetrachlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2,4,5-Tetrachlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Pentachlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hexachlorobenzene	0.02 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

GLOBAL WATER TESTING SUMMARY

Group 1 Detox Test Summary

	Chemical substances	Detection limit	1		2			3		4		5		6		7		8		9		10		11		
			Incoming	WW before treat 1	WW before treat 2	Incoming Tap	Incoming Recycled	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1
Chlorinated Solvents	Bromodichloromethane	1 ug/L	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Bromoform	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Carbon tetrachloride	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Chlorodibromomethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Chloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Chloroform	1 ug/L	-	-	-	-	-	-	-	-	15	8	-	-	-	-	-	1.2	1.2	-	-	-	-	-	-	
	Dibromomethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,1-Dichloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,2-Dichloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,1-Dichloroethene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	cis-1,2-Dichloroethene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	trans-1,2-Dichloroethene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	trans-1,3-Dichloropropene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hexachlorobutadiene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Methylene chloride	1 ug/L	-	-	-	-	-	-	-	-	-	-	6.7	7.8	-	-	-	-	-	-	56	-	-	-	-	
	1,1,2,2-Tetrachloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	8	11	-	-	-	-	-	-	-	-	
	Tetrachloroethene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1,1,1-Trichloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Trichloroethene	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	
Vinyl chloride	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hexachloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1,1,1,2-Tetrachloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1,1,2-Trichloroethane	1 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chlorophenols	4-Chloro-3-methylphenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2-Chlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,4-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,5-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,6-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Pentachlorophenol (PCP)	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3,4,6-Tetrachlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,4,5-Trichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,4,6-Trichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3,4,5-Tetrachlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3,5,6-Tetrachlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Tetrachlorophenols (TeCP)	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3,4-Trichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3,5-Trichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3,4,5-Trichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3,5-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2,3-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3,4-Dichlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3-chlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4-chlorophenol	0.5 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Short-Chained Chlorinated Paraffins (SCCPs)	Short chain chlorinated paraffins (SCCPs)	0.4 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.2	-	-	-	-		
Heavy Metals	Lead, Pb	1 ug/L	4	17	9	-	-	1.3	-	-	-	-	4	-	-	-	-	5	1.2	1.7	1.6	15	1.4	1.6		
	Cadmium, Cd	0.1 ug/L	-	0.4	0.1	0.8	0.5	0.5	-	-	-	-	0.1	-	-	-	-	0.1	-	-	-	-	-	-		
	Mercury, Hg	0.05 ug/L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Antimony, Sb	1 ug/L	-	37	-	-	-	1.5	-	-	-	-	8	6	-	-	11	21	-	-	64	17	-	370	7.0	
	Arsenic, As	1 ug/L	-	-	-	1.9	-	2.9	-	-	-	-	3	-	-	-	-	-	150	5.4	17	22	2.2	13		
	Chromium, Cr (total)	1 ug/L	3	12	18	-	-	3	-	-	-	-	134	3.2	4.8	-	-	2.5	-	3.5	14	3.2	8.7	2.2	4.5	
	Cobalt, Co	1 ug/L	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1.3	-	2.0	3.5	-	-	
	Copper, Cu	1 ug/L	13	3	120	-	8.7	21	-	-	11	12	10	347	-	-	41	67	15	4	15	35	10	120	14	720
	Nickel, Ni	1 ug/L	1	12	4	-	5.6	4.2	-	-	4	2	4	32	-	-	2.5	2.7	2.7	3	6.7	3.6	2.5	9.8	3.5	2.2
	Zinc, Zn	1 ug/L	106	131	230	93	87	89	-	-	257	96	49	1965	31.5	117	54	63	18	53	51	58	150	340	30	47
	Total Manganese	1 ug/L	1	40	43	4.2	26	19	-	-	7	10	5	78	4.5	192	-	-	10	27	62	30	660	260	16	26
Chromium, hexavalent, Cr(VI)	1 ug/L	-	8	8	-	-	-	-	-	-	-	-	23	-	-	-	-	-	-	-	-	-	-	-		
Cyanide (CN-)	20 ug/L	-	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		