

Product Restricted Substances List (PRSL)

Version March 2026

BURBERRY

BURBERRY

Product Restricted Substances List – Version March 2026

Introduction

Burberry's Product Restricted Substances List (PRSL) details the chemical restrictions applicable to any finished product or raw material used in either apparel or non-apparel product including footwear and toys, which is supplied directly or indirectly to Burberry.

This is applicable for Spring/Summer 2027 production onwards.

It remains the responsibility of Burberry partners to comply with all applicable legislations by each country/state where the partner conducts business, in the event such legislation is not covered within this PRSL.

Burberry retains the right to update the PRSL periodically to include new substances of concern identified by regulatory bodies or voluntary commitments.

Burberry Group PLC, London, March 2026

BURBERRY

Product Restricted Substances List – Version March 2026

2.0 CONTENTS

1.0 Introduction	02
2.0 Contents	03
3.0 Restricted Substances	04
4.0 Other Restrictions	10
Appendix One - Analytes	11
AP and APEO including Isomers	11
Biocides	11
Bisphenols	11
Chlorinated Paraffins	11
Chlorinated Solvents	11
Chlorobenzenes and Chlorotoluenes	12
Chlorophenols and orthophenylphenol (OPP)	12
Cyclosiloxanes	13
DMFu	13
Dyes – Azo	13
Dyes – Other	13
Dyes – Disperse	14
Flame Retardants	14
Formaldehyde	15
Glutaral	15
Glycol	15
Heavy Metals	15
N-nitrosamine	15
Organotin Compounds	16
Other Chemical Substances	16
Other Volatile Content	16
Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)	17
Pesticides	19
Phenol	20
Phthalates	20
Polycyclic Aromatic Hydrocarbons (PAH)	21
Quinoline	21
Solvents/Residuals	21
UV Absorbers/Stabilizers	21
Appendix Two - Migration of Certain Elements	22
Appendix Three - Definitions and Abbreviations	23
Appendix Four - Materials in Scope	24

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*		Limits			Test Methods (Always refer to the latest official publication)	Applicability							
		Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials
AP and APEO Including Isomers	NP/OP mixed isomers	Banned from use Maximum Contamination Limit SUM = 3 ppm			TEXTILE & LEATHER: ISO 21084								
		Recycled Content Maximum Contamination Limit SUM = 10 ppm			PLASTIC: THF extraction, followed ISO 21084 analysis								
	OPEO/ NPEO	Banned from use Maximum Contamination Limit SUM = 15 ppm			TEXTILE/DOWN and FEATHERS/ PLASTIC/ PAPER: ISO18254-1 with LC/MS								
		Recycled Content Maximum Contamination Limit SUM = 90 ppm			LEATHER: EN ISO 18218-1: with quantification according to EN ISO 18254-1:								
Biocides		Banned from use Not detected			Total zinc content screening for Zinc pyrithione EN 17134								
Bisphenols		BPA 1 ppm SUM BPS + BPF + BPB + BPAF = 100 ppm Toys: Bisphenol A 0.04 mg/l (migration limit)			Leather: ISO 11936 All other materials: Extraction: 1 g sample/20 ml THF, sonication for 60 minutes at 60 °C, then add methanol or acetonitrile for precipitation prior to analysis with LC/MS Note for textiles: For precipitation, draw the extract to another container and add methanol or acetonitrile. TOYS Bisphenol A: EN 71-19	For synthetic textiles and synthetic blended textiles		Dyed only			For polycarbonate plastics only		Paper only
Chlorinated Paraffins		Banned from use SCCP C10-C13 Maximum Contamination Limit 50 ppm MCCP C14- C17 Maximum Contamination Limit 100 ppm			Leather: ISO 18219-1 (SCCP) ISO 18219-2 (MCCP) Textiles and all other materials: ISO 22818: (SCCP + MCCP)	If coated							
Chlorinated Solvent		Banned from use** < 3 ppm			By Headspace GC-MS with an incubation of 120°C for 45 minutes								coated/ printed wood only
Chlorobenzenes and Chlorotoluenes		Banned from use Not Detected			EN 17137 Include verification method for presence of Quaternary ammonium compounds when α-chlorotoluene is detected								

*Analytes and detection limits are listed in Appendix One.

**Tetrachloroethylene (CAS 127-18-4) is allowed only in closed-loop machines with zero emission in atmosphere, zero emission in water and a maximum residual concentration in sludge of one per cent.

Applicable
 Not applicable

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability								
	Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials	
Chlorophenols and Orthophenylphenol (OPP)	Banned from use Sum of mono, di and tri chlorophenols < 0.5 ppm			EN 17134-2								Wood only	
	Banned from use PCP, TeCP Not Detected												Wood only
	Recycled Content Maximum Contamination Limit Tri SUM= 0.2 ppm Di SUM= 0.5 ppm Mono= 0.5 ppm PCP/TeCP= Not Detected	Recycled Content Maximum Contamination Limit Tri SUM = 2.0 ppm Di SUM = 3.0 ppm Mono = 3.0 ppm PCP/TeCP = Not Detected											
	OPP = 0.5 ppm		OPP = 1 ppm										
	OPP = 500 ppm												
Cyclosiloxanes	500 mg/kg			Ultrasonic extraction with tert-Butyl methyl ether (TBME) or acetone for 30 min at 40° C then GC/MS						Silicon only			
	1000 mg/kg												
Dimethyl Fumarate (DMFu)	Not Detected			ISO 16186									
Dyes – Azo	Banned from use Not Detected			TEXTILE: EN ISO 14362-1 and EN ISO 14362-3 p-Aminoazobenzene LEATHER: ISO 17234-1 and ISO 17234-2 p-Aminoazobenzene									
	Aniline ≤ 30 mg/kg (for toys) Aniline data only (for all others)												
	Recycled Content Maximum Contamination Limit SUM = 20 mg/kg												
	Free aniline ≤ 30 mg/kg			LEATHER: ISO 17234-1 (in case aniline detected, test needs to be repeated without addition of sodium dithionite) TEXTILE and POLYMERS: EN ISO 14362-1 (in case aniline detected, test needs to be repeated without addition of sodium dithionite)									
Dyes - Other	Banned from use Not Detected			DIN 54231									
	Recycled Content Maximum Contamination Limit SUM = 50 ppm												

*Analytes and detection limits are listed in Appendix One.

- Applicable
- Not applicable

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability								
	Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials	
Dyes – Disperse	Banned from use Not Detected			DIN 54231	Synthetics only								
	Recycled Content Maximum Contamination Limit SUM = 20 ppm												
Flame Retardants and Related Substances ***	Banned from use Not Detected			EN ISO 17881-1EN ISO 17881-2, GC-MS/ GC- NPD/LC-MS LC-DAD (BDBPT) Boron screening for Orthoboric acid, sodium salt									
Formaldehyde	Not Detected	< 75 ppm		Textile: JIS L 1041 Leather: ISO 17226-2 with EN ISO 17226-1 confirmation method in case of interference Wood: EN 717-3 Paper: DIN EN 1541								Wood, Paper, Straw only	
	1.5 mg/l	N/A		EN 71-10 and EN 71-11						Polymeric toy material			
Glutaral	500 ppm			EN ISO 17226-1									
Glycol	Banned from use SUM < 5.0 mg/kg			Textile, leather, down/feathers, metal, natural rubber: GC-MS/Extraction with Methanol Plastic: GC-MS/2-Step extraction with Tetrahydrofuran and Methanol									
Heavy Metal Extractable	Arsenic	< 0.2 ppm	< 1 ppm	All Materials Except Leather: EN 16711-2 Leather: ISO 17072-1								Wood only	
	Antimony	< 30 ppm											
	Barium	< 1000 ppm											
	Cadmium	Not Detected											
	Chromium	< 1 ppm	< 2 ppm		EN 16711-2								
		< 60 ppm		N/A	GB/T 28021 by ICP method				Exempt: Stainless steel and/or Chrome plated				
		Not Detected (chrome- tanned leather is not permitted for infants)	Chrome tanned leather N/A		ISO 17072-1								
	Other Non-Chrome Tanned Leather < 1 ppm	Other Non-Chrome Tanned Leather < 60 ppm											

*Analytes and detection limits are listed in Appendix One.

*** If Flame Retardant use or contamination is suspected

- Applicable
- Not applicable

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*		Limits			Test Methods (Always refer to the latest official publication)	Applicability								
		Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials	
Heavy Metal Extractable	Chromium VI	Not Detected			EN 16711-2 and ISO 17075-1									
		Not Detected (chrome- tanned leather is not permitted for infants)	< 3 ppm		ISO 17075-2 and ISO 10195 Method A1 for accessories/Method A2 for footwear									
	Cobalt	< 1 ppm		4 ppm	All materials except leather: EN 16711-2									
	Copper	< 25 ppm		50 ppm	Leather: ISO 17072-1									
	Lead	< 0.2 ppm		< 1 ppm										
	Nickel	< 1 ppm		4 ppm										
	Mercury	< 0.02 ppm												
	Selenium	< 500 ppm		N/A										
Heavy Metal Release	Nickel	< 0.2 µg/cm ² / week	Prolonged Skin Contact < 0.5 µg/cm ² /week		EN 1811 (Non-coated metal) EN 12472 and EN 1811 (Coated metal) EN 16128 (Eyewear)									
			Body Piercings < 0.2 µg/cm ² /week											
		Eyewear < 0.5 µg/cm ² /week												
Heavy Metal Total Content	Arsenic	≤ 100 ppm		N/A	Textile: EN 16711-1 Leather: ISO 17072-2 Plastic: EN 16711-1 Metal/gemstone: GB/T 28021; GB/T28020 Natural rubber: EN 14602									
		< 1 ppm												Wood only
		< 1000 ppm												
	Cadmium	< 40 ppm												
	Mercury	< 0.5 ppm											Wood only	
	Chromium VI (Jewellery)	< 1000 ppm			GB/T 28021 by ICP method (Total Cr first) and GB/T 28019 (CrVI Confirmation)									
Heavy Metal In Surface Coating/Print	Lead	< 40 ppm		< 90 ppm	Metal components: CPSC-CH-E1001-08.3 Other: CPSC-CH-E1002-08.03					Exempt adult only: Crystal				
	Cadmium	40 ppm		75 ppm	CPSC-CH-E1003-09.01									
	Mercury	10 ppm												

*Analytes and detection limits are listed in Appendix One.

- Applicable
- Not applicable

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability							
	Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials
Migration of certain elements	For toys and textile child care articles only unless specifically requested by Burberry See requirement in appendix 2	N/A	N/A	EN 71-3								
N-nitrosamine	Not Detected			ISO 19577 with LC/MS/MS verification if positive								
Organotin Compounds	Banned from use Sum of all < 0.5 ppm	Banned from use Sum of all < 1 ppm		All materials: EN ISO 16179 or EN ISO 22744-1								when coated/ printed
Other Chemical Substances	Azodicarbonamide - (ADCA) 1000 ppm			LC-DAD								
	Acetophenone, 2-Phenyl-2-Propanol & Related Substances < 50 ppm each			Extraction in acetone or methanol GC/MS, sonication for 30 minutes at 60° C For Acetophenone Azine: Extraction in acetone or methanol GC/MS or LC/MS, sonication for 30 minutes at room temperature								
Other Volatile Content	Sum of all < 20 ppm			By Headspace - GCMS with an incubation of 120°C for 45 minutes								when coated/ printed
	Benzene < 5 ppm											when coated/ printed
	Vinyl acetate monomer Not Detected									Vinyl Acetate based Polymer only		
Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) ****	Banned from use Not Detected			Textiles, synthetic coated fabrics, other materials excluding leathers and polymers: EN 17681-1								
	Individual PFAS < 25 ppb Sum of all PFAS < 250 ppb			Leather: EN ISO 23702-1 Polymers: EN ISO 23702-1 using THF extraction followed by methanol precipitation (1:1)								
	All PFAS as measured by Total Organic Fluorine 25 ppm			EN 14582 or ASTM D7359 or EN 17813								

* Analytes and detection limits are listed in Appendix One.

**** if PFAS use or contamination is suspected


- Applicable
- Not applicable

BURBERRY

Product Restricted Substances List – Version March 2026

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability									
	Infant (<36 months)	Kid (36 months – 14 years)	Adult		Textile	Leather	Down and Feathers	Metal components	Gemstones	Polymers (Including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials		
Pesticides	SUM = 0.5 ppm			US EPA 8081B / 8151A with GCMS/GCMSMS	Natural fibres only									
Phenol	5 mg/l	N/A		EN 71-10 and EN 71-11						Toy materials only				
Phthalates	Banned from use Maximum Contamination Limit SUM = < 75 ppm Bis(2-propylheptyl) phthalate (DHPH) for informational purpose only			CPSC-CH-C1001-09.4	When coated/ printed	When coated/ printed		When coated/ printed	When coated/ printed				When coated/ printed	
Polycyclic Aromatic Hydrocarbons (PAH)	Banned from use			AFPS-GS-2019 or EN 17132 or ISO 16190	When coated/ printed or synthetic textile								When coated/ printed	
	SUM < 0.5 ppm		SUM < 1 ppm											
	SUM < 10 ppm						When coated/ printed							
PVC	PVC and PVC coating are banned in Burberry products Not Detected			Beilstein Test, if positive confirm presence of PVC with FTIR										
Quinoline	50 ppm			DIN 54231										
Solvents/Residuals	Banned from use Not detected Dimethylformamide (DMFa) < 100 ppm Formamide < 200 ppm (Play/baby/yoga mats) Formamide < 1000 ppm (Others)			All materials including leather ISO 16189 or EN 17131-1 Leather (except PU Coated): ISO 19070 (NMP only)	When coated/ printed (PU-based)	When coated/ printed (PU-based)								
	Formamide 20 µg/m3 (emission limit) of foam toy materials containing more than 200 mg/kg formamide	N/A									Foam toy materials			
UV Absorbers/Stabilizers	1000 ppm each Report Drometrizole for informational purposes only (data only) UV-328 < 10 ppm			ISO 24040 with extraction in THF, analysis by GC/MS										

*Analytes and detection limits are listed in Appendix One.

 Applicable
 Not applicable

Other Restrictions

REACH and POPs Regulation

Burberry expects its global partners supplying Burberry Group directly or indirectly with products and/or raw materials to comply with the requirements set under REACH and the persistent organic pollutants regulated under the legislation on Persistent Organic Pollutants (Regulation (EU) 2019/1021). This includes restrictions under Annex XVII, authorization and information duty.

In addition to the substances restricted in REACH Annex XVII, the REACH Regulation has other requirements for substances in articles. Evaluation and Authorization is required for substances of very high concern (SVHC), which are detailed in Annex XIV of the REACH Regulation 1907/2006. This list is updated periodically and can be found on <http://echa.europa.eu>.

Regulation (EU) No. 573/2024 on Fluorinated gases

Fluorinated Gases are prohibited from use and Burberry expects its global partners supplying Burberry Group directly or indirectly with products and/or raw materials to comply with the requirements set under this Regulation.

Responsible Raw Materials Sourcing Policy

Please ensure that you have read [Burberry Responsible Raw Materials Sourcing Policy](#)

BURBERRY

Product Restricted Substances List – Version March 2026

APPENDIX ONE — ANALYTES

AP and APEO including Isomers

Analyte	CAS Number	Required Detection Limit
Nonylphenol	104-40-5	1 PPM
	25154-52-3	1 PPM
	84852-15-3	1 PPM
	11066-49-2	1 PPM
Octylphenol	140-66-9	1 PPM
	27193-28-8	1 PPM
	1806-26-4	1 PPM
Nonylphenol ethoxylates (NPEOs)	9016-45-9	3 PPM
	127087-87-0	3 PPM
	68412-54-4	3 PPM
	37205-87-1	3 PPM
	26027-38-3	3 PPM
Octylphenol ethoxylates (OPEOs)	9002-93-1	3 PPM
	68987-90-6	3 PPM
	9036-19-5	3 PPM

Biocides

Analyte	CAS Number	Required Detection Limit
Pyrithione zinc; (T-4)-bis[1-(hydroxy-kappa.O)pyridine-2(1H)-thionato-kappa.S]zinc	13463-41-7	Chemical inventory to be screened by chemical manager
Permethrin	52645-53-1	10 PPM
Triclosan	3380-34-5	10 PPM

Bisphenols

Analyte	CAS Number	Required Detection Limit
Bisphenol A	80-05-7	0.1 PPM (Toys: 0.01 mg/l)
Bisphenol B (BPB)	77-40-7	1 PPM
Bisphenol S (BPS)	80-09-1	1 PPM
Bisphenol F (BPF)	620-92-8	1 PPM
Bisphenol AF (BPAF)	1478-61-1	1 PPM

Chlorinated Paraffins

Analyte	CAS Number	Required Detection Limit
SCCP	85535-84-8	50 PPM
MCCP (C14-C17)	85535-85-9	100 PPM

Chlorinated Solvents

Analyte	CAS Number	Required Detection Limit
1,2-Dichloroethane	107-06-2	0.1 PPM
Methylene chloride	75-09-2	0.1 PPM
Tetrachloroethene	127-18-4	0.1 PPM
Trichloroethene	79-01-6	0.1 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Chlorobenzenes and Chlorotoluenes

Analyte	CAS Number	Required Detection Limit
Chlorobenzene	108-90-7	0.1 PPM
1,2-Dichlorobenzene	95-50-1	0.1 PPM
1,3- Dichlorobenzene	541-73-1	0.1 PPM
1,4- Dichlorobenzene	106-46-7	0.1 PPM
1,2,4- Trichlorobenzene	120-82-1	0.1 PPM
1,2,3- Trichlorobenzene	87-61-6	0.1 PPM
1,3,5- Trichlorobenzene	108-70-3	0.1 PPM
1,2,3,4- Tetrachlorobenzene	634-66-2	0.1 PPM
1,2,3,5- Tetrachlorobenzene	634-90-2	0.1 PPM
1,2,4,5- Tetrachlorobenzene	95-94-3	0.1 PPM
Pentachlorobenzene	608-93-5	0.1 PPM
Hexachlorobenzene	118-74-1	0.1 PPM
2-Chlorotoluene	95-49-8	0.1 PPM
3-Chlorotoluene	108-41-8	0.1 PPM
4-Chlorotoluene	106-43-4	0.1 PPM
2,3-Dichlorotoluene	32768-54-0	0.1 PPM
2,4-Dichlorotoluene	95-73-8	0.1 PPM
2,5-Dichlorotoluene	19398-61-9	0.1 PPM
2,6-Dichlorotoluene	118-69-4	0.1 PPM
3,4-Dichlorotoluene	95-75-0	0.1 PPM
2,3,6-Trichlorotoluene	2077-46-5	0.1 PPM
2,4,5-Trichlorotoluene	6639-30-1	0.1 PPM
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.1 PPM
2,3,5,6-Tetrachlorotoluene	1006-31-1	0.1 PPM
2,3,4,6- Tetrachlorotoluene	875-40-1	0.1 PPM
Pentachlorotoluene	877-11-2	0.1 PPM
$\alpha,\alpha,\alpha,4$ -Tetrachlorotoluene	5216-25-1	0.1 PPM
α,α,α -Trichlorotoluene	98-07-7	0.1 PPM
α -Chlorotoluene	100-44-7	0.1 PPM

Chlorophenols and Orthophenylphenol (OPP)

Analyte	CAS Number	Required Detection Limit
2-Chlorophenol	95-57-8	0.05 PPM
3-Chlorophenol	108-43-0	0.05 PPM
4-Chlorophenol	106-48-9	0.05 PPM
2,3-Dichlorophenol	576-24-9	0.05 PPM
2,4-Dichlorophenol	120-83-2	0.05 PPM
2,5-Dichlorophenol	583-78-8	0.05 PPM
2,6-Dichlorophenol	87-65-0	0.05 PPM
3,4-Dichlorophenol	95-77-2	0.05 PPM
3,5-Dichlorophenol	591-35-5	0.05 PPM
Trichlorophenol mixed isomers	25167-82-2	0.05 PPM
2,4,5-Trichlorophenol	95-95-4	0.05 PPM
2,4,6-Trichlorophenol	88-06-2	0.05 PPM
2,3,4-Trichlorophenol	15950-66-0	0.05 PPM
2,3,5-Trichlorophenol	933-78-8	0.05 PPM
2,3,6-Trichlorophenol	933-75-5	0.05 PPM
3,4,5-Trichlorophenol	609-19-8	0.05 PPM
Tetrachlorophenol (TeCP) mixed isomers	25167-83-3	0.05 PPM
2,3,4,6-Tetrachlorophenol	58-90-2	0.05 PPM
2,3,4,5-Tetrachlorophenol	4901-51-3	0.05 PPM
2,3,5,6-Tetrachlorophenol	935-95-5	0.05 PPM
Pentachlorophenol (PCP)	87-86-5	0.05 PPM
OPP	90-43-7	0.05 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Cyclosiloxanes

Analyte	CAS Number	Required Detection Limit
Octamethylcyclotetrasiloxane – D4	556-67-2	100 PPM
Decamethylcyclopentasiloxane – D5	541-02-6	100 PPM
Dodecamethylcyclohexasiloxane – D6	540-97-6	100 PPM

DMFu

Analyte	CAS Number	Required Detection Limit
DMFu	624-49-7	0.1 PPM

Dyes – Azo

Analyte	CAS Number	Required Detection Limit
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	5 PPM
4,4'-Methylenedianiline / 4,4'-Diaminodiphenylmethane	101-77-9	5 PPM
4,4'-Oxydianiline	101-80-4	5 PPM
4-Chloroaniline / p-Chloraniline	106-47-8	5 PPM
3,3'-Dimethoxybenzidine	119-90-4	5 PPM
3,3'-Dimethylbenzidine	119-93-7	5 PPM
6-Methoxy-m-toluidine / p-Cresidine	120-71-8	5 PPM
2,4,5-Trimethylaniline	137-17-7	5 PPM
4,4'-Thiodianiline	139-65-1	5 PPM
4- Aminoazobenzene / p- Aminoazobenzene	60-09-3	5 PPM
4- Methoxy-m-phenylenediamine / 2,4- Diaminoanisol	615-05-4	5 PPM
4,4'-Methylenedi-o-toluidine /	838-88-0	5 PPM
3,3'-Dimethyl-4,4'-Diamino-diphenyl-methane		
2,6-Xylidine	87-62-7	5 PPM
o-Anisidine / 2-Methoxyaniline	90-04-0	5 PPM
2-Naphthylamine	91-59-8	5 PPM
3,3'-Dichlorobenzidine	91-94-1	5 PPM
4-Aminobiphenyl	92-67-1	5 PPM
Benzidine	92-87-5	5 PPM
o-Toluidine	95-53-4	5 PPM
2,4-Xylidine	95-68-1	5 PPM
4-Chloro-o-toluidine	95-69-2	5 PPM
4-Methyl –phenylenediamine / 2,4-Toluenediamine	95-80-7	5 PPM
o-Aminoazotoluene	97-56-3	5 PPM
5-Nitro-o-toluidine / 2-Amino-4-Nitrotoluene	99-55-8	5 PPM
4-Chloro-o-toluidinium chloride	3165-93-3	5 PPM
2-Naphthylammonium acetate	553-00-4	5 PPM
4-Methoxy-m-phenylene diammonium sulphate; 2,4-Diaminoanisole sulphate	39156-41-7	5 PPM
2,4,5-Trimethylaniline hydrochloride	21436-97-5	5 PPM
Aniline	62-53-3	5 PPM

Dyes – Other

Analyte	CAS Number	Required Detection Limit
Direct Brown 95	16071-86-6	5 PPM
Direct Black 38	1937-37-7	5 PPM
Direct Blue 6	2602-46-2	5 PPM
Direct Red 28	573-58-0	5 PPM
C.I. Basic Violet 3 with $\geq 0,1$ % of Michler's ketone (EC No 202-027-5)	548-62-9	5 PPM
C.I. Acid Violet 49	1694-09-3	5 PPM
C.I. Acid Red 26	3761-53-3	5 PPM
C.I. Basic Red 9	569-61-9	5 PPM
C.I. Basic Green 4	569-64-2	5 PPM
	2437-29-8	
	10309-95-2	
C.I. Basic Green 4 leuco base	129-73-7	5 PPM
C.I. Basic Violet 14	632-99-5	5 PPM
C.I. Basic Blue 26	2580-56-5	5 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Dyes – Disperse

Analyte	CAS Number	Required Detection Limit
Disperse Blue 3	2475-46-9	5 PPM
Disperse Blue 7	3179-90-6	5 PPM
Disperse Blue 26	3860-63-7	5 PPM
Disperse Blue 102	12222-97-8	5 PPM
Disperse Yellow 1	119-15-3	5 PPM
Disperse Yellow 9	6373-73-5	5 PPM
Disperse Yellow 39	12236-29-2	5 PPM
Disperse Yellow 49	54824-37-2	5 PPM
	6858-49-7	
Disperse Orange 1	2581-69-3	5 PPM
Disperse Red 11	2872-48-2	5 PPM
Disperse Red 17	3179-89-3	5 PPM
Disperse Brown 1	23355-64-8	5 PPM
C.I. Disperse Blue 1	2475-45-8	5 PPM
C.I. Disperse Blue 35	56524-77-7	5 PPM
C.I. Disperse Blue 106	12223-01-7	5 PPM
C.I. Disperse Blue 124	61951-51-7	5 PPM
C.I. Disperse Orange 3	730-40-5	5 PPM
C.I. Disperse Orange 11	82-28-0	5 PPM
C.I. Disperse Orange 37	12223-33-5	5 PPM
C.I. Disperse Orange 59	13301-61-6	5 PPM
C.I. Disperse Red 1	2872-52-8	5 PPM
C.I. Disperse Yellow 3	2832-40-8	5 PPM

Flame Retardants and Related Substances

Analyte	CAS Number	Required Detection Limit
Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	5 PPM
Tris (2-chloro-1-methylethyl) phosphate (TCCP)	13674-84-5	5 PPM
Tris [2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP)	13674-87-8	5 PPM
Decabromodiphenyl ether (DecaBDE)	1163-19-5	10 PPM
Tris(2,3-dibromopropyl)- phosphate (TRIS)	126-72-7	10 PPM
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	10 PPM
Octabromodiphenyl ether (OctaBDE)	32536-52-0	10 PPM
Bis(2,3-dibromopropyl)phosphate (BIS) or (BBP)	5412-25-9	10 PPM
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	10 PPM
Polybromobiphenyls (PBB)	59536-65-1	10 PPM
Tetrabromobisphenol A (TBBPA)	79-94-7	10 PPM
Hexabromocyclododecane (HBCDD)	3194-55-6	10 PPM
Bis (2,3-dibromopropylether) of tetrabromobisphenol (BDBPT)	21850-44-2	10 PPM
Hexabromodiphenyl ether	36483-60-0 and others	10 PPM
Heptabromodiphenyl ether	68928-80-3 and others	10 PPM
2,2-bis(bromomethyl)propane1,3-diol (BMP)	3296-90-0	100 PPM
2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA)	36483-57-5	100 PPM
2,3-dibromo-1-propanol (2,3-DBPA)	1522-92-5	100 PPM
	96-13-9	
Orthoboric acid, sodium salt	13840-56-7	200 PPM
Tri-o-cresyl phosphate	78-30-8	5 PPM
Trimethyl phosphate	512-56-1	10 PPM
Trixylyl phosphate (TXP)	25155-23-1	5 PPM
Phenol, isopropylated phosphate (3:1) (PIP (3:1))	68937-41-7	5 PPM
Hexabromobiphenyl	36355-01-8	5 PPM
Perboric acid, sodium salt	11138-47-9	200 PPM
Triphenyl Phosphate (TPP)	115-86-6	100 PPM
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	10 PPM
Dechlorane Plus	13560-89-9	100 PPM
	135821-03-3	
	135821-74-8	
1,1'-(ethane-1,2-diyl)bis(pentabromobenzene) (DBDPE)	84852-53-9	10 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Formaldehyde

Analyte	CAS Number	Required Detection Limit
Formaldehyde	50-00-0	16 PPM (Toys 1.5 mg/l)

Glutaral

Analyte	CAS Number	Required Detection Limit
Glutaral	111-30-8	100 PPM

Glycol

Analyte	CAS Number	Required Detection Limit
Bis(2-methoxyethyl) ether	111-96-6	5 PPM
2-Ethoxyethanol	110-80-5	5 PPM
2-Ethoxyethanol acetate	111-15-9	5 PPM
Ethylene glycol dimethyl ether	110-71-4	5 PPM
2-Methoxyethanol	109-86-4	5 PPM
2-Methoxyethanol acetate	110-49-6	5 PPM
2-Methoxy-1-propanol	1589-47-5	5 PPM
2-Methoxypropyl acetate	70657-70-4	5 PPM
Triethylene glycol dimethyl ether	112-49-2	5 PPM

Heavy Metals

Analyte	CAS Number	Required Detection Limit
Arsenic	7440-38-2	Extractable: 0.1 PPM Total: 10 PPM
Antimony	7440-36-0	Extractable: 1 PPM
Barium	7440-39-3	Extractable: 100 PPM
Cadmium	7440-43-9	Extractable: 0.1 PPM Total: 5 PPM
Chromium	7440-47-3	Extractable: 0.5 PPM Total: 10 PPM
Chromium VI	18540-29-9	Extractable: 0.5 PPM Total: 3 PPM
Cobalt	7440-48-4	Extractable: 0.3 PPM
Copper	7440-50-8	Extractable: 1 PPM
Lead	7439-92-1	Extractable: 0.1 PPM Total: 10 PPM
Nickel	7440-02-0	Extractable: 0.3 PPM
Mercury	7439-97-6	Extractable: 0.01 PPM Total: 0.1 PPM
Selenium	7782-49-2	Extractable: 1 PPM

N-nitrosamine

Analyte	CAS Number	Required Detection Limit
N-nitrosodimethylamine (NDMA)	62-75-9	0.5 PPM
N-nitrosodiethylamine (NDEA)	55-18-5	0.5 PPM
N-nitrosodipropylamine (NDPA)	621-64-7	0.5 PPM
N-nitrosodibutylamine (NDBA)	924-16-3	0.5 PPM
N-nitrosopiperidine (NPIP)	100-75-4	0.5 PPM
N-nitrosopyrrolidine (NPYR)	930-55-2	0.5 PPM
N-nitrosomorpholine (NMOR)	59-89-2	0.5 PPM
N-nitroso N-methyl N-phenylamine (NMPhA)	614-00-6	0.5 PPM
N-nitroso N-ethyl N-phenylamine (NEPhA)	612-64-6	0.5 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Organotin Compounds

Analyte	CAS Number	Required Detection Limit
Dibutyltin (DBT)	Multiple	0.025 PPM
Dimethyltin (DMT)	Multiple	0.025 PPM
Monobutyltin (MBT)	Multiple	0.025 PPM
Monooctyltin (MOT)	Multiple	0.025 PPM
Diocetyl tin (DOT)	Multiple	0.025 PPM
	3648-18-8	
	91648-39-4	
Tricyclohexyltin (TCyHT)	Multiple	0.025 PPM
Trioctyltin (TOT)	Multiple	0.025 PPM
Tripropyltin (TPT)	Multiple	0.025 PPM
Trimethyltin (TMT)	Multiple	0.025 PPM
Triphenyltin (TPhT)	Multiple	0.025 PPM
Tetrabutyltin (TeBT)	1461-25-2	0.025 PPM
Tributyltin (TBT)	Multiple	0.025 PPM
Monomethyltin (MMT)	Multiple	0.025 PPM
Monophenyltin (MPT)	Multiple	0.025 PPM
Diphenyltin (DPhT)	Multiple	0.025 PPM
Dipropyltin (DPT)	Multiple	0.025 PPM
Tetraethyltin (TeET)	597-64-8	0.025 PPM
Tetraoctyltin (TeOT)	3590-84-9	0.025 PPM

Other Chemical Substances

Analyte	CAS Number	Required Detection Limit
Azodicarbonamide - (ADCA)	123-77-3	100 PPM
Acetophenone	98-86-2	25 PPM
Phenyl-2-Propanol	617-94-7	25 PPM
Acetophenone Azine	729-43-1	25 PPM

Other Volatile Content

Analyte	CAS Number	Required Detection Limit
Benzene	71-43-2	0.1 PPM
Xylene	1330-20-7	0.1 PPM
o-Cresol	95-48-7	0.1 PPM
p-Cresol	106-44-5	0.1 PPM
m-Cresol	108-39-4	0.1 PPM
Toluene	108-88-3	0.1 PPM
1,4-dioxane	123-91-1	10 PPM
Vinyl Acetate Monomer	108-05-4	5 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

Analyte	CAS Number	Required Detection Limit	
Perfluorooctane sulfonate (PFOS related substances and its salts)	PFOS:	PFOS, its salts and related substances: 0.01 mg/kg	
	1763-23-1		
	PFOS salts:		
	2795-39-3		
	29457-72-5		
	29081-56-9		
	70225-14-8		
	56773-42-3		
	251099-16-8		
	PFOS related substances:		
	307-35-7		
	1691-99-2		
	4151-50-2		
754-91-6			
24448-09-7			
31506-32-8			
Others:			
* See footnote			
Perfluorooctanoic acid (PFOA related substances and its salts)	PFOA:	PFOA, its salts and related substances: 0.01 mg/ kg	
	335-67-1		
	PFOA salts:		8:2 FTOH (CAS 678-39-7): 0.1 mg/kg
	382 5-26-1		
	335- 95-5		
	2395-00-8		
	335- 93-3		
	68141-02-6		
	98241-25-9		
	335-66-0		
	PFOA related substances:		
	678-39-7		
	27905-45-9		
	678-41-1		
	3102-79-2		
	40143-78-0		
	2043- 53-0		
	507- 63-1		
	39108-34-4		
	376-27-2		
3108-24-5			
1996-88-9			
27854-31-5			
Others:			
** See footnote			
Perfluorohexane sulfonates (PFHxS), its salts and PFHxS-related substances	PFHxS:	PFHxS, its salts and related substances: 0.01 mg/kg	
	355-46-4		
	PFHxS salts:		
	3871-99-6		
	55120-77-9		
	68259-08-5		
	82382-12-5		
	PFHxS related substances:		
	68259-15-4		
	41997-13-1		

*This list is not exhaustive. Refer to ECHA guidelines for more information and updates
<https://echa.europa.eu/substance-information/-/substanceinfo/100.240.877>

**This list is not exhaustive. Refer to ECHA guidelines for more information and updates
https://echa.europa.eu/documents/10162/13641/rest_pfoa_final_bd_en.pdf/61e81035-e0c5-44f5-94c5-f53554255a8

BURBERRY

Product Restricted Substances List – Version March 2026

Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) (continued)

Analyte	CAS Number	Required Detection Limit
Perfluorohexanoic acid (PFHxA) its salts and related substances	PFHxA: 307-24-4	PFHxA and related substances: 0.01 mg/kg
	PFHxA related substances 647-42-7 17527-29-6 2144-53-8 27619-97-2	6:2 FTOH (CAS 647-42-7): 0.1 mg/kg
	C9-C14 PFCAs (PFCA related substances and it's salts)	C9-C14 PFCAs, their salts and related substances: 0.01 mg/kg
	2058-94-8 307-55-1 376-06-7 72629-94-8 375-95-1 335-76-2 172155-07-6	10:2 FTOH (CAS 865-86-1): 0.1 mg/kg 8:2 FTOH (CAS 678-39-7): 0.1 mg/kg 12:2 FTOH (CAS 39239-77-5): 0.1 mg/kg
	C9-C14 PFCAs salts: 3830-45-3 3108-42-7	
	C9-C14 PFCAs related substances: 17741-60-5 865-86-1 2144-54-9 39239-77-5 120226-60-0 2043-54-1 30046-31-2 34598-33-9 678-39-7	

Other PFAS

Analyte	CAS Number	Required Detection Limit
Perfluorobutane sulfonic acid (PFBS) and its salts	PFBS: 375-73-5	0.01 mg/kg
	PFBS salts: 29420-49-3	
Perfluoro-1-heptanesulfonic acid (PFHpS) and its salts	PFHpS: 375-92-8	0.01 mg/kg
	PFHpS salts: 60270-55-5	
Perfluorocyclobutane- c-C4F8	115-25-3	0.01 mg/kg
7H-Dodecafluoroheptanoic Acid	1546-95-8	0.01 mg/kg
1H,1H,2H,2H-Perfluoro-1-Hexanol (4:2 FTOH)	2043-47-2	Test method 17681: 0.4 mg/kg Test method EN ISO 23702-1: 0.1 mg/kg
Perfluoropentanoic acid (PFPA)	2706-90-3	0.01 mg/kg
Perfluorobutanoic acid (PFBA)	375-22-4	0.01 mg/kg
Perfluoroheptanoic acid (PFHpA)	375-85-9	0.01 mg/kg
Perfluorohexylethene	25291-17-2	0.1 mg/kg
C15-C21 PFCAs (PFCA related substances and it's salts)	C15-C21 PFCAs: 141074-63-7 67905-19-5 57475-95-3 16517-11-6 133921-38-7 68310-12-3 and others	C15-C21 PFCAs, their salts and related substances: 0.01 mg/kg

BURBERRY

Product Restricted Substances List – Version March 2026

Pesticides

Analyte	CAS Number	Required Detection Limit
2, 4 d (Dichlorophenoxyacetic acid)	94-75-7	0.2 PPM
2-(2,4,5-trichlorophenoxy) propionic acid, its salts and compounds	93-72-1	0.2 PPM
2,4,5-trichlorophenoxyacetic acid	93-76-5	0.2 PPM
Aldrin	309-00-2	0.2 PPM
Azinphos methyl	86-50-0	0.2 PPM
Azinphos-ethyl	2642-71-9	0.2 PPM
Bromophos-ethyl	4824-78-6	0.2 PPM
Captafol	2425-06-1	0.2 PPM
Carbaryl	63-25-2	0.2 PPM
Chlorobenzilate	510-15-6	0.2 PPM
Chlordane	57-74-9	0.2 PPM
Chlordimeform	6164-98-3	0.2 PPM
Chlorfenvinphos	470-90-6	0.2 PPM
Chlorothalonil	1897-45-6	0.2 PPM
Coumaphos	56-72-4	0.2 PPM
Cyfluthrin	68359-37-5	0.2 PPM
Cyhalothrin	91465-08-6	0.2 PPM
Cypermethrin	52315-07-8	0.2 PPM
S,S,S-Tributyl phosphorotrithioate (Tribufos)	78-48-8	0.2 PPM
Deltamethrin	52918-63-5	0.2 PPM
Diazinon	333-41-5	0.2 PPM
Dichlofluanid	1085-98-9	0.2 PPM
Dichloroprop	120-36-5	0.2 PPM
Dicofol	115-32-2	0.2 PPM
Dicrotophos	141-66-2	0.2 PPM
DDF	54261-67-5	0.2 PPM
Dichlorodiphenyldichloroethane (DDD)	72-54-8	0.2 PPM
	53-19-0	0.2 PPM
Dichloro-diphenyl-dichloro ethylene (DDE)	72-55-9	0.2 PPM
	3424-82-6	0.2 PPM
Dichlorodiphenyltrichloroethane (DDT)	50-29-3	0.2 PPM
	789-02-6	0.2 PPM
Dieldrin	60-57-1	0.2 PPM
Dimethoate	60-51-5	0.2 PPM
Dinoseb, it's salts and acetate	88-85-7	0.2 PPM
DTTB (4, 6-Dichloro-7 (2,4,5-trichlorophenoxy) -2-Trifluoro methyl benz imidazole)	63405-99-2	0.2 PPM
Endosulfan	115-29-7	0.2 PPM
Endosulfan (α -isomer)	959-98-8	0.2 PPM
Endosulfan (β -isomer)	33213-65-9	0.2 PPM
Endrine	72-20-8	0.2 PPM
Esfenvalerate	66230-04-4	0.2 PPM
Ethylene dibromide	106-93-4	0.2 PPM
Fenvalerate	51630-58-1	0.2 PPM
Heptachlor	76-44-8	0.2 PPM
Heptachloroepoxide	1024-57-3	0.2 PPM
a-Hexachlorocyclohexane with and without Lindane	319-84-6	0.2 PPM
b-Hexachlorocyclohexane with and without Lindane	319-85-7	0.2 PPM
g-Hexachlorocyclohexane with and without Lindane	319-86-8	0.2 PPM
Hexachlorocyclohexane (HCH, all isomers) except gammahexachlorocyclohexane	608-73-1	0.2 PPM
Isodrin	465-73-6	0.2 PPM
Kelevan	4234-79-1	0.2 PPM
Kepone (Chlordecone)	143-50-0	0.2 PPM
Lindane	58-89-9	0.2 PPM
Malathion	121-75-5	0.2 PPM
MCPA	94-74-6	0.2 PPM
MCPB	94-81-5	0.2 PPM
Mecoprop	93-65-2	0.2 PPM
Methamidophos	10265-92-6	0.2 PPM
Methoxychlor	72-43-5	0.01 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Pesticides (continued)

Analyte	CAS Number	Required Detection Limit
Mirex	2385-85-5	0.2 PPM
Monocrotophos	6923-22-4	0.2 PPM
Parathion	56-38-2	0.2 PPM
Parathion-methyl	298-00-0	0.2 PPM
Pentachloroanisole	1825-21-4	0.2 PPM
Phosdrin/Mevinphos	7786-34-7	0.2 PPM
Perthane	72-56-0	0.2 PPM
Propetamphos	31218-83-4	0.2 PPM
Profenofos	41198-08-7	0.2 PPM
Quinalphos	13593-03-8	0.2 PPM
Quintozene	82-68-8	0.2 PPM
Silafluofen	105024-66-6	0.2 PPM
Strobane	8001-50-1	0.2 PPM
Telodrin	297-78-9	0.2 PPM
Toxaphene	8001-35-2	0.2 PPM
Tolyfluanide	731-27-1	0.2 PPM
Trifluralin	1582-09-8	0.2 PPM
Halogenated biphenyls, including Polychlorinated biphenyl (PCB)	Multiple	0.2 PPM
Various Halogenated terphenols, including Polychlorinated terphenyl (PCT)	Multiple	0.2 PPM
Various Halogenated naphthalenes, including polychlorinated naphthalenes (PCNs)	Multiple	0.2 PPM
Various Halogenated diarylalkanes	Multiple	0.2 PPM
Halogenated diphenyl methanes, including Monomethyl-dibromo-diphenyl methane	Multiple	0.2 PPM
Monomethyl-tetrachloro-diphenyl methane	99688-47-8	
Monomethyl-dichloro-diphenyl methane (Ugilec 121)	76253-60-6	
	none	

Phenol

Analyte	CAS Number	Required Detection Limit
Phenol	108-95-2	1 mg/l

Phthalates

Analyte	CAS Number	Required Detection Limit
1,2- Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	10 PPM
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	117-82-8	10 PPM
1,2-benzenedicarboxylic acid, di-C7-11 branched and linearalkyl esters (DHNU)	68515-42-4	10 PPM
Benzyl butyl phthalate (BBP)	85-68-7	10 PPM
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10 PPM
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10 PPM
Dibutyl phthalate (DBP)	84-74-2	10 PPM
Di-cyclohexyl phthalate (DCHP)	84-61-7	10 PPM
Diethyl phthalate (DEP)	84-66-2	10 PPM
Di-hexylphthalate, branched and linear (DHxP)	68515-50-4	10 PPM
Di-isobutyl phthalate (DIBP)	84-69-5	10 PPM
Di-iso-decyl phthalate (DIDP)	26761-40-0	10 PPM
Di-isononyl phthalate (DINP)	28553-12-0	10 PPM
	68515-48-0	
Di-iso-octyl phthalate (DIOP)	27554-26-3	10 PPM
Diisohexyl phthalate (DIHxP)	71850-09-4	10 PPM
Diisopentyl phthalate (DIPP)	605-50-5	10 PPM
Dimethyl phthalate (DMP)	131-11-3	10 PPM
Di-n-hexyl phthalate (DnHP)	84-75-3	10 PPM
Di-n-octyl phthalate (DNO)	117-84-0	10 PPM
Dinonyl phthalate (DNP)	84-76-4	10 PPM
Di-n-propyl phthalate (DPRP)	131-16-8	10 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

Phthalates (continued)

Analyte	CAS Number	Required Detection Limit
Dipentyl phthalate (DPP)	131-18-0	10 PPM
N-pentyl-isopentylphthalate (NPIPP)	776297-69-9	10 PPM
Bis(2-propylheptyl) phthalate (DPHP)	53306-54-0	50 PPM
Bis(2-ethylhexyl) tetrabromophthalate	26040-51-7	50 PPM

Polycyclic Aromatic Hydrocarbons (PAH)

Analyte	CAS Number	Required Detection Limit
Acenaphthylene	208-96-8	0.2 PPM
Anthracene	120-12-7	0.2 PPM
Benzo[a]anthracene	56-55-3	0.2 PPM
Benzo[a]pyrene (BaP)	50-32-8	0.2 PPM
Benzo[b]fluoranthene	205-99-2	0.2 PPM
Benzo[e]pyrene	192-97-2	0.2 PPM
Benzo[ghi]perylene	191-24-2	0.2 PPM
Benzo[j]fluoranthene	205-82-3	0.2 PPM
Benzo[k]fluoranthene	207-08-9	0.2 PPM
Chrysene	218-01-9	0.2 PPM
Dibenz[a,h]anthracene	53-70-3	0.2 PPM
Fluoranthene	206-44-0	0.2 PPM
Fluorene	86-73-7	0.2 PPM
Indeno[1,2,3-cd]pyrene	193-39-5	0.2 PPM
Naphthalene	91-20-3	0.2 PPM
Phenanthrene	85-01-8	0.2 PPM
Pyrene	129-00-0	0.2 PPM
Acenaphthene	83-32-9	0.2 PPM

Quinoline

Analyte	CAS Number	Required Detection Limit
Quinoline	91-22-5	10 PPM

Solvents/Residuals

Analyte	CAS Number	Required Detection Limit
bis(2-(2-methoxyethoxy)ethyl) ether; Tetraglyme	143-24-8	10 PPM
DMFa	68-12-2	10 PPM
N-Methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP)	872-50-4	10 PPM
N,N-dimethylacetamide (DMAC)	127-19-5	10 PPM
Formamide	75-12-7	50 PPM
N-Ethyl-2-pyrrolidone (NEP)	2687-91-4	10 PPM
1,1,2,2-Tetrachloroethane	79-34-5	10 PPM
2-Ethylhexanoic acid	149-57-5	10 PPM
Carbon disulfide	75-15-0	10 PPM
Ethylbenzene	100-41-4	10 PPM
Styrene	100-42-5	10 PPM
n-hexane	110-54-3	10 PPM

UV Absorbers / Stabilizers

Analyte	CAS Number	Required Detection Limit
UV 320	3846-71-7	50 PPM
UV 327	3864-99-1	50 PPM
UV 328	25973-55-1	10 PPM
UV 350	36437-37-3	50 PPM
Drometrizole	2440-22-4	50 PPM
UV 326	3896-11-5	50 PPM
UV 329	3147-75-9	50 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

APPENDIX TWO — MIGRATION OF CERTAIN ELEMENTS

Migration of Certain Elements

Analyte	CAS Number	Required Limit
Aluminium	7429-90-5	28130 PPM
Antimony	7440-36-0	60 PPM
Arsenic	7440-38-2	25 PPM
Barium	7440-39-3	1000 PPM
Boron	7440-42-8	15000 PPM
Cadmium	7440-43-9	17 PPM
Chromium (III)	16065-83-1	60 PPM
Chromium (VI)	18540-29-9	0.053 PPM
Cobalt	7440-48-4	130 PPM
Copper	7440-50-8	7700 PPM
Lead	7439-92-1	23 PPM
Manganese	7439-96-5	15000 PPM
Mercury	7439-97-6	60 PPM
Nickel	7440-02-0	930 PPM
Selenium	7782-49-2	460 PPM
Strontium	7440-24-6	56000 PPM
Tin	7440-31-5	180000 PPM
Organic tin compounds	10584-98-2, 1067-33-0, 15571-58-1, 26636-01-1, 68109-88-6, 27107-89-7, 57583-34-3, 57583-35-4, 77-58-7, 78-04-6, 15546-11-9	12 PPM
Zinc	7440-66-6	46000 PPM

BURBERRY

Product Restricted Substances List – Version March 2026

APPENDIX THREE — DEFINITIONS AND ABBREVIATIONS

PPM	Part per million, equivalent of mg/kg
Detection Limit	Lowest limit value that can be detected by the selected test method. Below this limit, the report will mention 'Not Detected'
Prolonged Skin Contact	Items that have the possibility to have direct skin contact e.g. lining in outerwear
CAS Number	Unique numerical identifiers assigned by Chemical Abstracts Service to every chemical substance
Infant	All products intended for children under the age of 36 months or 100 cm height
Kid	All products intended for children from 36 months up to the age of 14 years
Adult	All products intended for people from the age of 16 years old and above
Global Partner	A company that supplies Burberry directly or indirectly with stock items
N/A	Not applicable
Natural Components	Amongst others: mother-of-pearl, horn, corozo (nut), straw, etc.
Other Non-chrome Tanned Leather	Leathers with other tanning methods such as synthetic and vegetable tanning
Gemstone	Amongst others: glass, Swarovski crystal, precious stones, etc.
Textile childcare articles	Cot bumpers, sleep bags and duvets/quilts for children which are used in the child's sleeping environment

BURBERRY

Product Restricted Substances List – Version March 2026

APPENDIX FOUR — MATERIALS IN SCOPE

EXAMPLES OF MATERIALS WITHIN THE SCOPE OF EACH MATERIAL CATEGORY. THIS LIST IS NOT EXHAUSTIVE.

Natural Fibres Including semi-synthetics	Synthetic Fibres	Coatings & Prints	Natural Materials	Gemstones	Polymers, Plastics, Foams, Natural Rubber & Synthetic Rubber
<ul style="list-style-type: none"> • Cotton • Wool • Silk • Hemp • Cashmere • Linen • Animal hair • Viscose (semi-synthetic) • Lyocell (semi-synthetic) • Acetate (semi-synthetic) 	<ul style="list-style-type: none"> • Polyester • Acrylic • Polyamide 	<p>Printing techniques such as:</p> <ul style="list-style-type: none"> • Heat transfers • Dye Sublimation printing • Digital printing • Screen printing • Discharge printing <p>Coatings such as:</p> <ul style="list-style-type: none"> • Polyurethane (PU) • UV-cured • TPU 	<ul style="list-style-type: none"> • Horn • Bone • Cork • Wood • Paper • Straw • Stone • Mother of Pearl • Corozo 	<ul style="list-style-type: none"> • Glass • Crystal • Precious / Semi-Precious stones 	<ul style="list-style-type: none"> • Ethylene vinyl acetate (EVA) • Polystyrene (PS) • Polyethylene (PE) • Acrylonitrile butadiene styrene (ABS) • Neoprene • Polypropylene (PP) • Polycarbonate (PC) • Polyamide (PA) • Polyurethane (PU) • Polyvinyl chloride (PVC) • Thermoplastic polyurethane (TPU) • Thermoplastic elastomer (TPE) • Styrene ethylene butylene styrene (SEBS) • Polyethersulfone (PESU) • Styrene Butadiene Rubber (SBR) • Styrene Butadiene Styrene (SBS) • High Density Polyethylene (HDPE) • Low Density Polyethylene (LDPE)