

Product Restricted Substances List (PRSL)

Version July 2024

BURBERRY

Introduction

Burberry's Product Restricted Substances List (PRSL) details the chemical restrictions applicable to any finished product or raw material used in either apparel or non-apparel product including footwear and toys, which is supplied directly or indirectly to Burberry.

This is applicable for Autumn/Winter 2025 production onwards.

It remains the responsibility of Burberry partners to comply with all applicable legislations by each country/state where the partner conducts business, in the event such legislation is not covered within this PRSL.

Burberry retains the right to update the PRSL periodically to include new substances of concern identified by regulatory bodies or voluntary commitments.

Burberry Group PLC, London, July 2024

BURBERRY

Product Restricted Substances List – Version July 2024

2.0 CONTENTS

1.0 Introduction	02
2.0 Contents	03
3.0 Restricted Substances	04
4.0 Other Restrictions	10
Appendix One - Analytes	11
AP and APEO including Isomers	11
Biocides	11
Bisphenols	11
Chlorinated Paraffins	11
Chlorinated Solvents	11
Chlorobenzenes and Chlorotoluenes	11
Chlorophenols and orthophenylphenol (OPP)	12
Cyclosiloxanes	12
DMFu	13
Dyes – Azo	13
Dyes – Other	13
Dyes – Disperse	14
Flame Retardants	15
Formaldehyde	15
Glutaral	15
Heavy Metals	15
N-nitrosamine	16
Organotin Compounds	16
Other Volatile Content	16
Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)	17
Pesticides	19
Phenol	21
Phthalates	21
Polycyclic Aromatic Hydrocarbons (PAH)	22
Solvents/Residuals	22
UV Absorbers / Stabilizers	22
Quinoline	22
Appendix Two - Migration of Certain Elements	23
Appendix Three - Definitions and Abbreviations	24
Appendix Four - Materials in Scope	25
Appendix Five - Acknowledgement	26

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*		Limits			Test Methods (Always refer to the latest official publication)	Applicability							
		Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials
AP and APEO including Isomers	NP/OP mixed isomers	Banned from use Maximum Contamination Limit SUM= 3ppm			TEXTILE & LEATHER: ISO 21084								
		Recycled Content Maximum Contamination Limit SUM= 10ppm			PLASTIC: THF extraction, followed ISO 21084 analysis								
	OPEO/NPEO	Banned from use Maximum Contamination Limit SUM= 15ppm			TEXTILE/DOWN and FEATHERS/ PLASTIC/ PAPER: ISO18254-1 with LC/MS								
		Recycled Content Maximum Contamination Limit SUM= 90ppm			LEATHER: EN ISO 18218-1: with quantification according to EN ISO 18254-1:								
Biocides		Banned from use			Chemical inventory to be screened by chemical manager								
Bisphenols		BPA 1ppm SUM BPS + BPF + BPB = 100ppm In preparation for future restriction Burberry test BPS + BPF + BPB to assess concentrations of Bisphenols Toys: Bisphenol-A 0.04 mg/l (migration limit)			Leather: ISO 11936 All other materials: Extraction: 1 g sample/20 ml THF, sonication for 60 minutes at 60 °C, analysis with LC/MS Note for textiles: For precipitation, draw the extract to another container and add methanol or acetonitrile. Inaccurate higher results will be obtained if the textile sample contacts the precipitation solvent. TOYS Bisphenol-A: EN 71-10 and EN 71-11	For synthetic textiles and synthetic blended textiles		Dyed only			For polycarbonate plastics only		Paper only
Chlorinated Paraffins		Banned from use SCCP C10-C13 Maximum Contamination Limit 50ppm MCCP C14- C17 Maximum Contamination Limit 100ppm			Leather: ISO 18219-1 (SCCP) ISO 18219-2 (MCCP) Textiles and all other materials: ISO 22818: (SCCP + MCCP)	If coated							
Chlorinated Solvent		Banned from use** < 3 ppm			By Headspace GC-MS with an incubation of 120°C for 45 minutes								when coated/ printed
Chlorobenzenes and Chlorotoluenes		Banned from use Not Detected			EN 17137 Include verification method for presence of Quaternary ammonium compounds when α-chlorotoluene is detected								

*Analytes and detection limits are listed in Appendix One.

**Tetrachloroethylene (CAS 127-18-4) is allowed only in closed-loop machines with zero emission in atmosphere, zero emission in water and a maximum residual concentration in sludge of one per cent.

- Applicable
- Not Applicable

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability							
	Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials
Chlorophenols and Orthophenylphenol (OPP)	Banned from use Sum of mono, di and tri chlorophenols < 0.5 ppm			EN 17134-2								Wood only
	Banned from use PCP, TeCP Not Detected											Wood only
	Recycled Content Maximum Contamination Limit Tri SUM= 0.2ppm Di SUM= 0.5ppm Mono= 0.5ppm PCP/TeCP= Not Detected	Recycled Content Maximum Contamination Limit Tri SUM= 2.0ppm Di SUM= 3.0ppm Mono= 3.0ppm PCP/TeCP = Not Detected										
	OPP = 0.5ppm		OPP = 1ppm									
	OPP = 500ppm											
Cyclosiloxanes	500 mg/kg			THF extraction followed by GCMS Analysis						Silicon only		
Dimethyl Fumarate (DMFu)	Not Detected			ISO 16186								
Dyes – Azo	Banned from use Not Detected			TEXTILE: EN ISO 14362-1 and EN ISO 14362-3 p-Aminoazobenzene LEATHER: ISO 17234-1 and ISO 17234-2 p-Aminoazobenzene								
	Recycled Content Maximum Contamination Limit SUM= 20mg/kg											
	Aniline ≤ 30 mg/kg											
Dyes – Other	Banned from use Not Detected			DIN 54231								
	Recycled Content Maximum Contamination Limit SUM= 50ppm											
Dyes – Disperse	Banned from use Not Detected			DIN 54231	Synthetics only							
	Recycled Content Maximum Contamination Limit SUM= 20ppm											
Flame Retardants and Related Substances***	Banned from use Not Detected			EN ISO 17881-1EN ISO 17881-2, GC-MS/ GC-NPD/LC-MS LC-DAD (BDBPT) Boron screening for Orthoboric acid, sodium salt								

*Analytes and detection limits are listed in Appendix One.

*** If Flame Retardant use or contamination is suspected.

- Applicable
 Not Applicable

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability							
	Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (Including Velcro, Synthetic rubber, Silicone)	Natural Rubber	Natural Materials
Formaldehyde	Not Detected	< 75ppm		TEXTILE: JIS L1041 LEATHER: ISO 17226-2 with EN ISO 17226-1 confirmation method in case of interference WOOD: EN 717-3 PAPER: DIN EN 1541								Wood, Paper, Straw only
	1.5 mg/l	N/A		EN 71-10 and EN 71-11						Polymeric toy material		
Glutaral	0.1% (w/w)			Extraction with THF in sonication at 70°C 30 min, analysis with GC/MS								
Migration of Certain Elements	For toys and Textile Child care articles only unless specifically requested by Burberry See requirements in appendix 2	N/A	N/A	EN71-3								
Heavy Metal Extractable	Arsenic	< 0.2ppm	< 1ppm	All Materials Except Leather: EN 16711-2 Leather: ISO 17072-1								Wood only
	Antimony	< 30ppm										
	Barium	< 1000ppm										
	Cadmium	Not Detected										
	Chromium	< 1ppm	< 2ppm		EN 16711-2							
		< 60ppm		N/A	GB/T 28021 by ICP method				Exempt: Stainless steel and/or Chrome plated			
		Not Detected (chrome-tanned leather is not permitted for infants)	Chrome tanned leather N/A		ISO 17072-1							
Other Non-Chrome Tanned Leather < 1ppm	Other Non-Chrome Tanned Leather < 60ppm											

*Analytes and detection limits are listed in Appendix One.

- Applicable
- Not Applicable

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*		Limits			Test Methods (Always refer to the latest official publication)	Applicability							
		Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (Including Velcro, Synthetic rubber, Silicone)	Natural Rubber	Natural Materials
Heavy Metal Extractable	Chromium VI	Not Detected			EN 16711-2 and ISO 17075-1								
		Not Detected (chrome-tanned leather is not permitted for infants)	< 3ppm		ISO 17075-2 and ISO 10195 Method A1 for accessories/Method A2 for footwear								
	Cobalt	< 1ppm		4ppm	TEXTILE: EN 16711-2 LEATHER: ISO 17072-1								
	Copper	< 25ppm		50ppm									
	Lead	< 0.2ppm		< 1ppm									
	Nickel	< 1ppm		4ppm									
	Mercury	< 0.02ppm											
Selenium	< 500ppm		N/A										
Heavy Metal Release	Nickel	<0.2 µg/cm ² /week	Prolonged Skin Contact	<0.5 µg/cm ² /week	EN 1811 (non-coated metal) EN 12472+EN 1811 (coated metal)								
			Body Piercings	<0.2 µg/cm ² /week	EN 16128 (Eyewear)								
		Eyewear	<0.5 µg/cm ² /week										
Heavy Metal Total Content	Arsenic	≤ 100ppm		N/A	TEXTILE: EN 16711-1 LEATHER: ISO 17072-2 PLASTIC: EN 16711-1 METAL/GEMSTONE: GB/T 28021; GB/T28020 NATURAL RUBBER: EN 14602								
		< 1ppm											Wood only
		< 1000ppm											
	Cadmium	< 40ppm											
	Mercury	< 0.5ppm											Wood only
	Chromium (Non-Jewellery)	< 60ppm		N/A	GB/T 28021 by ICP method					Exempt: Stainless steel and/or Chrome plated			
	Chromium (Jewellery)	< 1000ppm			GB/T 28021 by ICP method (Total Cr first) and GB/T 28019 (CrVI Confirmation)					Exempt: Stainless steel and/or Chrome plated			
Lead	< 40ppm		< 90ppm	METAL COMPONENTS: CPSC-CH-E1001-08.3 Other: CPSC-CH-E1002-08.03					Exempt: Crystal				

*Analytes and detection limits are listed in Appendix One.

- Applicable
- Not Applicable

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*		Limits			Test Methods (Always refer to the latest official publication)	Applicability							
		Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (including Velcro, Synthetic Rubber, Silicone)	Natural Rubber	Natural Materials
Heavy Metal in Surface Coating/Print	Lead	< 40ppm		< 90ppm	CPSC-CH-E1003-09.01								
	Cadmium	40ppm		75ppm									
	Mercury	10ppm		60ppm									
N-nitrosamine		Not Detected			ISO 19577 with LC/MS/MS verification if positive								
Organotin Compounds		Banned from use Sum of all < 0.5ppm	Banned from use Sum of all < 1ppm		All materials: CEN ISO/TS 16179 or EN ISO 22744-1								when coated/ printed
Other Volatile Content		Sum of all < 20ppm			By Headspace - GCMS with an incubation of 120°C for 45 minutes								when coated/ printed
		Benzene < 5ppm											
Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)****		Banned from use Not Detected			EN 17681-1 EN 17681-2								
		PFOA including its salts 25 ppb total / 1000 ppb total for PFOA related substances			ISO 23702-1								
		PFOS and related substances 1 µg/m ² total PFCA < 25 ppb (sum of C9-C14 PFCA and their salts) / < 260 ppb (sum of C9-C14 PFCA-related substances) PFHxS 25ppb (sum of PFHxS and their salts) / 1000ppb (sum of PFHxS-related substances)			For sample preparation follow; F-INS-SUST-001-Vxx PFC Testing on Leather Samples								
		All PFAS as measured by Total organic Fluorine 25ppm			EN 14582 or ASTM D7359								
Pesticides		SUM = 0.5 ppm			US EPA 8081B / 8151A	Natural fibres only							
Phenol		5 mg/l	N/A		EN 71-10:2005 and EN 71-11:2005						Toy materials only		
Phthalates		Banned from use Maximum Contamination Limit SUM = <75ppm per plasticized component			CPSC-CH-C1001-09.4	When coated/ printed	When coated/ printed		When coated/ printed	When coated/ printed			When coated/ printed

*Analytes and detection limits are listed in Appendix One.

****If PFAS use or contamination is suspected.

- Applicable
- Not Applicable

BURBERRY

Product Restricted Substances List – Version July 2024

Restricted Substances*	Limits			Test Methods (Always refer to the latest official publication)	Applicability								
	Infant (<36 Months)	Kid (36 Months – 14 Years)	Adult		Textile	Leather	Down and Feathers	Metal Components	Gemstones	Polymers (Including Velcro, Synthetic rubber, Silicone)	Natural Rubber	Natural Materials	
Polycyclic Aromatic Hydrocarbons (PAH)	Banned from use			AfPS-GS-2019 or EN 17132 or ISO 16190	When coated/printed or synthetic textile								When coated/printed
	SUM < 0.5ppm		SUM < 1ppm			When coated/printed							
	SUM < 10 ppm												
Solvents/Residuals	Banned from use Not detected Dimethylformamide (DMFa) < 100ppm Formamide < 1000ppm			All materials including leather ISO 16189 LEATHER (except PU Coated) ISO 19070 (NMP only)	When coated/printed (PU-based)	When coated/printed (PU-based)							
	Formamide 20 µg/m3 (emission limit) of foam toy materials containing more than 200 mg/kg formamide	N/A								Foam toy materials			
UV Absorbers / Stabilizers	1000 ppm each Report Drometrizole for informational purposes only (data only)			ISO 24040 with extraction in THF, analysis by GC/MS									
Quinoline	50ppm			DIN 54231									
PVC	PVC and PVC coating is banned in Burberry products Not Detected			Beilstein Test, if positive confirm presence of PVC with FTIR									

*Analytes and detection limits are listed in Appendix One.

- Applicable
- Not Applicable

Other Restrictions

REACH Regulation 1907/2006 – Candidate List Annex XIV

Burberry expects its global partners supplying Burberry PLC directly or indirectly with products and/or raw materials to comply with the requirements set under REACH. This includes restrictions under Annex XVII, authorisation and information duty.

In addition to the substances restricted in REACH Annex XVII, the REACH Regulation has other requirements for substances in articles. Evaluation and Authorisation is required for substances of very high concern (SVHC), which are detailed in Annex XIV of the REACH Regulation 1907/2006. This list is updated periodically and can be found on <http://echa.europa.eu>.

Responsible Sourcing Policy

Please ensure that you have read Burberry's Responsible Sourcing Policy, available here: <https://burberry.sharepoint.com/knowledge/Policies/Lists/KnowledgeDocuments/Supply%20Chain/Responsible%20Raw%20Materials%20Sourcing%20Policy.pdf>

BURBERRY

Product Restricted Substances List – Version July 2024

APPENDIX ONE – ANALYTES

AP and APEO including Isomers

Analyte	CAS Number	Required Detection Limit
Nonylphenol	104-40-5	1 PPM
	25154-52-3	1 PPM
	84852-15-3	1 PPM
	11066-49-2	1 PPM
Octylphenol	140-66-9	1 PPM
	27193-28-8	1 PPM
	1806-26-4	1 PPM
Nonylphenol ethoxylates (NPEOs)	9016-45-9	3 PPM
	127087-87-0	3 PPM
	68412-54-4	3 PPM
	37205-87-1	3 PPM
	26027-38-3	3 PPM
Octylphenol ethoxylates (OPEOs)	9002-93-1	3 PPM
	68987-90-6	3 PPM
	9036-19-5	3 PPM

Biocides

Analyte	CAS Number	Required Detection Limit
Pyrrithione zinc; (T-4)-bis[1-(hydroxy-kappa.O)pyridine-2(1H)-thionato-kappa.S]zinc	13463-41-7	Chemical inventory to be screened by chemical manager

Bisphenols

Analyte	CAS Number	Required Detection Limit
Bisphenol-A	80-05-7	0.1 PPM (Toys: 0.01 mg/l)
Bisphenol B (BPB)	77-40-7	1 PPM
Bisphenol S (BPS)	80-09-1	1 PPM
Bisphenol F (BPF)	620-92-8	1 PPM

Chlorinated Paraffins

Analyte	CAS Number	Required Detection Limit
SCCP	85535-84-8	50 PPM
MCCP (C14-C17)	85535-85-9	100 PPM

Chlorinated Solvents

Analyte	CAS Number	Required Detection Limit
1,2-Dichloroethane	107-06-2	0.1 PPM
Methylene chloride	75-09-2	0.1 PPM
Tetrachloroethene	127-18-4	0.1 PPM
Trichloroethene	79-01-6	0.1 PPM

Chlorobenzenes and Chlorotoluenes

Analyte	CAS Number	Required Detection Limit
Chlorobenzene	108-90-7	0.1 PPM
1,2-Dichlorobenzene	95-50-1	0.1 PPM
1,3- Dichlorobenzene	541-73-1	0.1 PPM
1,4- Dichlorobenzene	106-46-7	0.1 PPM
1,2,4- Trichlorobenzene	120-82-1	0.1 PPM
1,2,3- Trichlorobenzene	87-61-6	0.1 PPM
1,3,5- Trichlorobenzene	108-70-3	0.1 PPM
1,2,3,4- Tetrachlorobenzene	634-66-2	0.1 PPM
1,2,3,5- Tetrachlorobenzene	634-90-2	0.1 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Chlorobenzenes and Chlorotoluenes (continued)

Analyte	CAS Number	Required Detection Limit
1,2,4,5- Tetrachlorobenzene	95-94-3	0.1 PPM
Pentachlorobenzene	608-93-5	0.1 PPM
Hexachlorobenzene	118-74-1	0.1 PPM
2-Chlorotoluene	95-49-8	0.1 PPM
3-Chlorotoluene	108-41-8	0.1 PPM
4-Chlorotoluene	106-43-4	0.1 PPM
2,3-Dichlorotoluene	32768-54-0	0.1 PPM
2,4-Dichlorotoluene	95-73-8	0.1 PPM
2,5-Dichlorotoluene	19398-61-9	0.1 PPM
2,6-Dichlorotoluene	118-69-4	0.1 PPM
3,4-Dichlorotoluene	95-75-0	0.1 PPM
2,3,6-Trichlorotoluene	2077-46-5	0.1 PPM
2,4,5-Trichlorotoluene	6639-30-1	0.1 PPM
2,3,4,5-Tetrachlorotoluene	76057-12-0	0.1 PPM
2,3,5,6-Tetrachlorotoluene	1006-31-1	0.1 PPM
2,3,4,6- Tetrachlorotoluene	875-40-1	0.1 PPM
Pentachlorotoluene	877-11-2	0.1 PPM
α,α,α,4-Tetrachlorotoluene	5216-25-1	0.1 PPM
α,α,α-Trichlorotoluene	98-07-7	0.1 PPM
α-Chlorotoluene	100-44-7	0.1 PPM

Chlorophenols and Orthophenylphenol (OPP)

Analyte	CAS Number	Required Detection Limit
2-Chlorophenol	95-57-8	0.05 PPM
3-Chlorophenol	108-43-0	0.05 PPM
4-Chlorophenol	106-48-9	0.05 PPM
2,3-Dichlorophenol	576-24-9	0.05 PPM
2,4-Dichlorophenol	120-83-2	0.05 PPM
2,5-Dichlorophenol	583-78-8	0.05 PPM
2,6-Dichlorophenol	87-65-0	0.05 PPM
3,4-Dichlorophenol	95-77-2	0.05 PPM
3,5-Dichlorophenol	591-35-5	0.05 PPM
Trichlorophenol mixed isomers	25167-82-2	0.05 PPM
2,4,5-Trichlorophenol	95-95-4	0.05 PPM
2,4,6-Trichlorophenol	88-06-2	0.05 PPM
2,3,4-Trichlorophenol	15950-66-0	0.05 PPM
2,3,5-Trichlorophenol	933-78-8	0.05 PPM
2,3,6-Trichlorophenol	933-75-5	0.05 PPM
3,4,5-Trichlorophenol	609-19-8	0.05 PPM
Tetrachlorophenol (TeCP) mixed isomers	25167-83-3	0.05 PPM
2,3,4,6-Tetrachlorophenol	58-90-2	0.05 PPM
2,3,4,5-Tetrachlorophenol	4901-51-3	0.05 PPM
2,3,5,6-Tetrachlorophenol	935-95-5	0.05 PPM
Pentachlorophenol (PCP)	87-86-5	0.05 PPM
OPP	90-43-7	0.05 PPM

Cyclosiloxanes

Analyte	CAS Number	Required Detection Limit
Octamethylcyclotetrasiloxane – D4	556-67-2	100 PPM
Decamethylcyclopentasiloxane – D5	541-02-6	100 PPM
Dodecamethylcyclohexasiloxane – D6	540-97-6	100 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

DMFu Analyte	CAS Number	Required Detection Limit
DMFu	624-49-7	0.1 PPM

Dyes – Azo

Analyte	CAS Number	Required Detection Limit
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	5 PPM
4,4'-Methylenedianiline / 4,4'-Diaminodiphenylmethane	101-77-9	5 PPM
4,4'-Oxydianiline	101-80-4	5 PPM
4-Chloroaniline / p-Chloraniline	106-47-8	5 PPM
3,3'-Dimethoxybenzidine	119-90-4	5 PPM
3,3'-Dimethylbenzidine	119-93-7	5 PPM
6-Methoxy-m-toluidine / p-Cresidine	120-71-8	5 PPM
2,4,5-Trimethylaniline	137-17-7	5 PPM
4,4'-Thiodianiline	139-65-1	5 PPM
4- Aminoazobenzene / p- Aminoazobenzene	60-09-3	5 PPM
4- Methoxy-m-phenylenediamine / 2,4- Diaminoanisol	615-05-4	5 PPM
4,4'Methylenedi-o-toluidine / 3,3'-Dimethyl-4,4'Diamino-diphenyl-methane	838-88-0	5 PPM
2,6-Xylidine	87-62-7	5 PPM
o-Anisidine / 2-Methoxyaniline	90-04-0	5 PPM
2-Naphthylamine	91-59-8	5 PPM
3,3'-Dichlorobenzidine	91-94-1	5 PPM
4-Aminobiphenyl	92-67-1	5 PPM
Benzidine	92-87-5	5 PPM
o-Toluidine	95-53-4	5 PPM
2,4-Xylidine	95-68-1	5 PPM
4-Chloro-o-toluidine	95-69-2	5 PPM
4-Methyl –phenylenediamine / 2,4-Toluenediamine	95-80-7	5 PPM
o-Aminoazotoluene	97-56-3	5 PPM
5-Nitro-o-toluidine / 2-Amino-4-Nitrotoluene	99-55-8	5 PPM
4-Chloro-o-toluidinium chloride	3165-93-3	5 PPM
2-Naphthylammonium acetate	553-00-4	5 PPM
4-Methoxy-m-phenylene diammonium sulphate; 2,4-Diaminoanisole sulphate	39156-41-7	5 PPM
2,4,5-Trimethylaniline hydrochloride	21436-97-5	5 PPM
Aniline	62-53-3	5 PPM

Dyes – Other

Analyte	CAS Number	Required Detection Limit
Navy Blue		
Component 1: C39H23ClCrN7O12S.2Na	118685-33-9	5 PPM
Component 2: C46H30CrN10O20S2.3Na	Not allocated	5 PPM
Dyes – Basic		
Direct Brown 95	16071-86-6	5 PPM
Direct Black 38	1937-37-7	5 PPM
Direct Blue 6	2602-46-2	5 PPM
Direct Red 28	573-58-0	5 PPM
Dyes – Direct		
C.I. Basic Violet 3 with ≥ 0,1% of Michler's ketone (EC No 202-027-5)	548-62-9	5 PPM
C.I. Acid Violet 49	1694-09-3	5 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Dyes – Disperse

Analyte	CAS Number	Required Detection Limit
Disperse Blue 3	2475-46-9	5 PPM
Disperse Blue 7	3179-90-6	5 PPM
Disperse Blue 26	3860-63-7	5 PPM
Disperse Blue 102	12222-97-8	5 PPM
Disperse Yellow 1	119-15-3	5 PPM
Disperse Yellow 9	6373-73-5	5 PPM
Disperse Yellow 39	12236-29-2	5 PPM
Disperse Yellow 49	54824-37-2 6858-49-7	5 PPM
Disperse Orange 1	2581-69-3	5 PPM
Disperse Red 11	2872-48-2	5 PPM
Disperse Red 17	3179-89-3	5 PPM
Disperse Brown 1	23355-64-8	5 PPM
C.I. Disperse Blue 1	2475-45-8	5 PPM
C.I. Disperse Blue 35	56524-77-7	5 PPM
C.I. Disperse Blue 106	12223-01-7	5 PPM
C.I. Disperse Blue 124	61951-51-7	5 PPM
C.I. Disperse Orange 3	730-40-5	5 PPM
C.I. Disperse Orange 11	82-28-0	5 PPM
C.I. Disperse Orange 37	12223-33-5	5 PPM
C.I. Disperse Orange 59	13301-61-6	5 PPM
C.I. Disperse Red 1	2872-52-8	5 PPM
C.I. Disperse Yellow 3	2832-40-8	5 PPM
C.I. Acid Red 26	3761-53-3	5 PPM
C.I. Basic Red 9	569-61-9	5 PPM
C.I. Basic Green 4	569-64-2, 2437-29-8, 10309-95-2	5 PPM
C.I. Basic Green 4 leuco base	129-73-7	5 PPM
C.I. Basic Violet 14	632-99-5	5 PPM
C.I. Basic Blue 26	2580-56-5	5 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Flame Retardants and Related Substances

Analyte	CAS Number	Required Detection Limit
Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	5 PPM
Tris (2-chloro-1-methylethyl) phosphate (TCCP)	13674-84-5	5 PPM
Tris [2-chloro-1-(chloromethyl)ethyl] phosphate (TDCP)	13674-87-8	5 PPM
Decabromodiphenyl ether (DecaBDE)	1163-19-5	10 PPM
Tris(2,3,-dibromopropyl)- phosphate (TRIS)	126-72-7	10 PPM
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	10 PPM
Octabromodiphenyl ether (OctaBDE)	32536-52-0	10 PPM
Bis(2,3-dibromopropyl)phosphate (BIS) or (BBP)	5412-25-9	10 PPM
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	10 PPM
Polybromobiphenyls (PBB)	59536-65-1	10 PPM
Tetrabromobisphenol A (TBBPA)	79-94-7	10 PPM
Hexabromocyclododecane (HBCDD)	3194-55-6	10 PPM
Bis (2,3-dibromopropylether) of tetrabromobisphenol (BDBPT)	21850-44-2	10 PPM
Hexabromodiphenyl ether	36483-60-0 and others	10 PPM
Heptabromodiphenyl ether	68928-80-3 and others	10 PPM
2,2-bis(bromomethyl)propane1,3-diol (BMP)	3296-90-0	100 PPM
2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA)	36483-57-5	100 PPM
2,3-dibromo-1-propanol (2,3-DBPA)	1522-92-5	100 PPM
	96-13-9	
Orthoboric acid, sodium salt	13840-56-7	200 PPM
Tri-o-cresyl phosphate	78-30-8	5 PPM
Trimethyl phosphate	512-56-1	10 PPM
Trixylyl phosphate (TXP)	25155-23-1	5 PPM

Formaldehyde

Analyte	CAS Number	Required Detection Limit
Formaldehyde	50-00-0	16 PPM (Toys 1.5 mg/l)

Glutaral

Analyte	CAS Number	Required Detection Limit
Glutaral	111-30-8	100 PPM

Heavy Metals

Analyte	CAS Number	Required Detection Limit
Arsenic	7440-38-2	Extractable: 0.1 PPM Total: 10 PPM
Antimony	7440-36-0	Extractable: 1 PPM
Barium	7440-39-3	Extractable: 100 PPM
Cadmium	7440-43-9	Extractable: 0.1 PPM Total: 5 PPM
Chromium	7440-47-3	Extractable: 0.5 PPM Total: 10 PPM
Chromium VI	18540-29-9	Extractable: 0.5 PPM Total: 3 PPM
Cobalt	7440-48-4	Extractable: 0.3 PPM
Copper	7440-50-8	Extractable: 1 PPM
Lead	7439-92-1	Extractable: 0.1 PPM Total: 10 PPM
Nickel	7440-02-0	Extractable: 0.3 PPM
Mercury	7439-97-6	Extractable: 0.01 PPM Total: 0.1 PPM
Selenium	7782-49-2	Extractable: 1 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

N-nitrosamine

Analyte	CAS Number	Required Detection Limit
N-nitrosodimethylamine (NDMA)	62-75-9	0.5 PPM
N-nitrosodiethylamine (NDEA)	55-18-5	0.5 PPM
N-nitrosodipropylamine (NDPA)	621-64-7	0.5 PPM
N-nitrosodibutylamine (NDBA)	924-16-3	0.5 PPM
N-nitrosopiperidine (NPIP)	100-75-4	0.5 PPM
N-nitrosopyrrolidine (NPYR)	930-55-2	0.5 PPM
N-nitrosomorpholine (NMOR)	59-89-2	0.5 PPM
N-nitroso N-methyl N-phenylamine (NMPHA)	614-00-6	0.5 PPM
N-nitroso N-ethyl N-phenylamine (NEPhA)	612-64-6	0.5 PPM

Organotin Compounds

Analyte	CAS Number	Required Detection Limit
Dibutyltin (DBT)	Multiple	0.025 PPM
Dimethyltin (DMT)	Multiple	0.025 PPM
Monobutyltin (MBT)	Multiple	0.025 PPM
Monooctyltin (MOT)	Multiple	0.025 PPM
Diocetyl tin (DOT)	Multiple 3648-18-8 91648-39-4	0.025 PPM
Tricyclohexyltin (TCyHT)	Multiple	0.025 PPM
Triocetyl tin (TOT)	Multiple	0.025 PPM
Tripropyltin (TPT)	Multiple	0.025 PPM
Trimethyltin (TMT)	Multiple	0.025 PPM
Triphenyltin (TPhT)	Multiple	0.025 PPM
Tetrabutyltin (TeBT)	1461-25-2	0.025 PPM
Tributyltin (TBT)	Multiple	0.025 PPM
Monomethyltin (MMT)	Multiple	0.025 PPM
Monophenyltin (MPT)	Multiple	0.025 PPM
Diphenyltin (DPHT)	Multiple	0.025 PPM
Dipropyltin (DPT)	Multiple	0.025 PPM
Tetraethyltin (TeET)	597-64-8	0.025 PPM
Tetraoctyltin (TeOT)	3590-84-9	0.025 PPM

Other Volatile Content

Analyte	CAS Number	Required Detection Limit
Benzene	71-43-2	0.1 PPM
Xylene	1330-20-7	0.1 PPM
o-Cresol	95-48-7	0.1 PPM
p-Cresol	106-44-5	0.1 PPM
m-Cresol	108-39-4	0.1 PPM
Toluene	108-88-3	0.1 PPM
1,4-dioxane	123-91-1	10 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

Analyte	CAS Number	Required Detection Limit	
Perfluorooctane sulfonate (PFOS related substances and its salts)	PFOS: 1763-23-1	1µg/m2 / 0.01 mg/kg	
	PFOS salts: 307-35-7 2795-39-3 29457-72-5 29081-56-9 70225-14-8 56773-42-3 251099-16-8		
	PFOS related substances: 1691-99-2 4151-50-2 754-91-6 24448-09-7 31506-32-8		
	Others: *See footnote		
Perfluorooctanoic acid (PFOA related substances and its salts)	PFOA: 335-67-1	10µg/m2 / 0.1 mg/kg	
	PFOA salts: 382 5-26-1 335- 95-5 2395-00-8 335- 93-3 68141-02-6 98241-25-9 335-66-0		
	PFOA related substances: 678-39-7 27905-45-9 678-41-1 3102-79-2 40143-78-0 2043- 53-0 507- 63-1 39108-34-4 376-27-2 3108-24-5 1996-88-9 27854-31-5		
	Others: **See footnote		
Perfluorohexane sulfonates (PFHxS), its salts and PFHxS-related substances	PFHxS: 355-46-4	1µg/m2 / 0.01 mg/kg	
	PFHxS salts: 3871-99-6 55120-77-9 68259-08-5 82382-12-5		
	PFHxS related substances: 68259-15-4 41997-13-1		
Undecafluorohexanoic acid (PFHxA) its salts and related substances	PFHxA: 307-24-4	PFHxA: 1µg/m2 / 0.01 mg/kg	
	PFHxA related substances and its salts: 647-42-7 17527-29-6 2144-53-8		PFHxA related substances: 10 ug/m2 / 0.1 mg/kg

*This list is not exhaustive. Refer to ECHA guidelines for more information and updates
<https://echa.europa.eu/substance-information/-/substanceinfo/100.240.877>

**This list is not exhaustive. Refer to ECHA guidelines for more information and updates
https://echa.europa.eu/documents/10162/13641/rest_pfoa_final_bd_en.pdf/61e81035-e0c5-44f5-94c5-2f53554255a8

BURBERRY

Product Restricted Substances List – Version July 2024

Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) (continued) Analyte	CAS Number	Required Detection Limit
C9-C14 PFCAs (PFCA related substances and it's salts)	C9-C14 PFCAs: 2058-94-8 307-55-1 376-06-7 72629-94-8 375-95-1 335-76-2 172155-07-6 C9-C14 PFCAs salts: 3830-45-3 3108-42-7 C9-C14 PFCAs related substances: 17741-60-5 865-86-1 2144-54-9 39239-77-5 120226-60-0 2043-54-1 30046-31-2 34598-33-9 678-39-7	10µg/m2 / 0.1 mg/kg
Other PFAS		
Perfluorobutane sulfonic acid (PFBS) and its salts	PFBS: 375-73-5 PFBS salts: 29420-49-3	1µg/m2 / 0.01 mg/kg
Perfluoro-1-heptanesulfonic acid (PFHpS) and its salts	PFHpS: 375-92-8 PFHpS salts: 60270-55-5	1µg/m2 / 0.01 mg/kg
1H,1H,2H,2H- Perfluorooctanesulfonic acid (1H,1H,2H,2H-PFOS)	27619-97-2	1µg/m2 / 0.01 mg/kg
Perfluorocyclobutane- c-C4F8	115-25-3	1µg/m2 / 0.01 mg/kg
7H-Dodecanefluoroheptanoic Acid	1546-95-8	1µg/m2 / 0.01 mg/kg
1H,1H,2H,2H-Perfluoro-1-Hexanol (4:2 FTOH)	2043-47-2	10µg/m2 / 0.1 mg/kg
Perfluoropentanoic acid (PFPA)	2706-90-3	1µg/m2 / 0.01 mg/kg
Perfluoropentane - C5F14	355-42-0	1µg/m2 / 0.01 mg/kg
Perfluorobutanoic acid (PFBA)	375-22-4	1µg/m2 / 0.01 mg/kg
Perfluoroheptanoic acid (PFHpA)	375-85-9	1µg/m2 / 0.01 mg/kg
Perfluorohexylethene	25291-17-2	10 µg/m2 / 0.1 mg/kg

BURBERRY

Product Restricted Substances List – Version July 2024

Pesticides

Analyte	CAS Number	Required Detection Limit
2, 4 d (Dichlorophenoxyacetic acid)	94-75-7	0.2 PPM
2-(2,4,5-trichlorophenoxy) propionic acid, its salts and compounds	93-72-1	0.2 PPM
2,4,5-trichlorophenoxyacetic acid	93-76-5	0.2 PPM
Aldrin	309-00-2	0.2 PPM
Azinphos methyl	86-50-0	0.2 PPM
Azinphos-ethyl	2642-71-9	0.2 PPM
Bromophos-ethyl	4824-78-6	0.2 PPM
Captafol	2425-06-1	0.2 PPM
Carbaryl	63-25-2	0.2 PPM
Chlorobenzilate	510-15-6	0.2 PPM
Chlordane	57-74-9	0.2 PPM
Chlordimeform	6164-98-3	0.2 PPM
Chlorfenvinphos	470-90-6	0.2 PPM
Chlorothalonil	1897-45-6	0.2 PPM
Coumaphos	56-72-4	0.2 PPM
Cyfluthrin	68359-37-5	0.2 PPM
Cyhalothrin	91465-08-6	0.2 PPM
Cypermethrin	52315-07-8	0.2 PPM
S,S,S-Tributyl phosphorotrithioate (Tribufos)	78-48-8	0.2 PPM
Deltamethrin	52918-63-5	0.2 PPM
Diazinon	333-41-5	0.2 PPM
Dichlofluanid	1085-98-9	0.2 PPM
Dichloroprop	120-36-5	0.2 PPM
Dicofol	115-32-2	0.2 PPM
Dicrotophos	141-66-2	0.2 PPM
DDF	54261-67-5	0.2 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Pesticides (continued)

Analyte	CAS Number	Required Detection Limit
Dichlorodiphenyldichloroethane (DDD)	72-54-8 53-19-0	0.2 PPM 0.2 PPM
Dichloro-diphenyl-dichloro ethylene (DDE)	72-55-9 3424-82-6	0.2 PPM 0.2 PPM
Dichlorodiphenyltrichloroethane (DDT)	50-29-3 789-02-6	0.2 PPM 0.2 PPM
Dieldrin	60-57-1	0.2 PPM
Dimethoate	60-51-5	0.2 PPM
Dinoseb, it's salts and acetate	88-85-7	0.2 PPM
DTTB (4, 6-Dichloro-7 (2,4,5-trichlorophenoxy) -2-Trifluoro methyl benz imidazole)	63405-99-2	0.2 PPM
Endosulfan	115-29-7	0.2 PPM
Endosulfan (α-isomer)	959-98-8	0.2 PPM
Endosulfan (β-isomer)	33213-65-9	0.2 PPM
Endrine	72-20-8	0.2 PPM
Esfenvalerate	66230-04-4	0.2 PPM
Ethylene dibromide	106-93-4	0.2 PPM
Fenvalerate	51630-58-1	0.2 PPM
Heptachlor	76-44-8	0.2 PPM
Heptachloroepoxide	1024-57-3	0.2 PPM
Hexabromobiphenyl	36355-01-8	5 PPM
a-Hexachlorocyclohexane with and without Lindane	319-84-6	0.2 PPM
b-Hexachlorocyclohexane with and without Lindane	319-85-7	0.2 PPM
g-Hexachlorocyclohexane with and without Lindane	319-86-8	0.2 PPM
Hexachlorobenzene	118-74-1	0.2 PPM
Pentachlorobenzene	608-93-5	0.2 PPM
Tetrachlorobenzene	95-93-4	0.2 PPM
Hexachlorocyclohexane (HCH, all isomers) except gammahexachlorocyclohexane	608-73-1	0.2 PPM
Isodrin	465-73-6	0.2 PPM
Kelevan	4234-79-1	0.2 PPM
Kepone (Chlordecone)	143-50-0	0.2 PPM
Lindane	58-89-9	0.2 PPM
Malathion	121-75-5	0.2 PPM
MCPA	94-74-6	0.2 PPM
MCPB	94-81-5	0.2 PPM
Mecoprop	93-65-2	0.2 PPM
Methamidophos	10265-92-6	0.2 PPM
Methoxychlor	72-43-5	0.2 PPM
Mirex	2385-85-5	0.2 PPM
Monocrotophos	6923-22-4	0.2 PPM
Parathion	56-38-2	0.2 PPM
Parathion-methyl	298-00-0	0.2 PPM
Pentachloroanisole	1825-21-4	0.2 PPM
Phosdrin/Mevinphos	7786-34-7	0.2 PPM
Perthane	72-56-0	0.2 PPM
Propetamphos	31218-83-4	0.2 PPM
Profenofos	41198-08-7	0.2 PPM
Quinalphos	13593-03-8	0.2 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Pesticides (continued)

Analyte	CAS Number	Required Detection Limit
Quintozene	82-68-8	0.2 PPM
Silafluofen	105024-66-6	0.2 PPM
Strobane	8001-50-1	0.2 PPM
Telodrin	297-78-9	0.2 PPM
Toxaphene	8001-35-2	0.2 PPM
Tolyfluanide	731-27-1	0.2 PPM
Trifluralin	1582-09-8	0.2 PPM
Halogenated biphenyls, including Polychlorinated biphenyl (PCB)	Multiple	0.2 PPM
Various Halogenated terphenols, including Polychlorinated terphenyl (PCT)	Multiple	0.2 PPM
Various Halogenated naphthalenes, including polychlorinated naphthalenes (PCNs)	Multiple	0.2 PPM
Various Halogenated diarylalkanes	Multiple	0.2 PPM
Halogenated diphenyl methanes, including	Multiple	0.2 PPM
Monomethyl-dibromo-diphenyl methane	99688-47-8	0.2 PPM
Monomethyl-tetrachloro-diphenyl methane	76253-60-6	0.2 PPM
Monomethyl-dichloro-diphenyl methane (Ugilec 121)	none	0.2 PPM

Phenol

Analyte	CAS Number	Required Detection Limit
Phenol	108-95-2	1mg/l

Phthalates

Analyte	CAS Number	Required Detection Limit
1,2- Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	10 PPM
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	117-82-8	10 PPM
1,2-benzenedicarboxylic acid, di-C7-11 branched and linearalkyl esters (DHNUP)	68515-42-4	10 PPM
Benzyl butyl phthalate (BBP)	85-68-7	10 PPM
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10 PPM
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10 PPM
Dibutyl phthalate (DBP)	84-74-2	10 PPM
Di-cyclohexyl phthalate (DCHP)	84-61-7	10 PPM
Diethyl phthalate (DEP)	84-66-2	10 PPM
Di-hexylphthalate, branched and linear (DHxP)	68515-50-4	10 PPM
Di-isobutyl phthalate (DIBP)	84-69-5	10 PPM
Di-iso-decyl phthalate (DIDP)	26761-40-0	10 PPM
Di-isononyl phthalate (DINP)	28553-12-0 68515-48-0	10 PPM
Di-iso-octyl phthalate (DIOP)	27554-26-3	10 PPM
Diisohexyl phthalate (DIHxP)	71850-09-4	10 PPM
Diisopentyl phthalate (DIPP)	605-50-5	10 PPM
Dimethyl phthalate (DMP)	131-11-3	10 PPM
Di-n-hexyl phthalate (DnHP)	84-75-3	10 PPM
Di-n-octyl phthalate (DNOP)	117-84-0	10 PPM
Dinonyl phthalate (DNP)	84-76-4	10 PPM
Di-n-propyl phthalate (DPRP)	131-16-8	10 PPM
Dipentyl phthalate (DPP)	131-18-0	10 PPM
N-pentyl-isopentylphthalate (NPIPP)	776297-69-9	10 PPM
Bis(2-ethylhexyl) tetrabromophthalate	26040-51-7	50 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

Polycyclic Aromatic Hydrocarbons (PAH)

Analyte	CAS Number	Required Detection Limit
Acenaphthylene	208-96-8	0.2 PPM
Anthracene	120-12-7	0.2 PPM
Benzo[a]anthracene	56-55-3	0.2 PPM
Benzo[a]pyrene (BaP)	50-32-8	0.2 PPM
Benzo[b]fluoranthene	205-99-2	0.2 PPM
Benzo[e]pyrene	192-97-2	0.2 PPM
Benzo[ghi]perylene	191-24-2	0.2 PPM
Benzo[j]fluoranthene	205-82-3	0.2 PPM
Benzo[k]fluoranthene	207-08-9	0.2 PPM
Chrysene	218-01-9	0.2 PPM
Dibenz[a,h]anthracene	53-70-3	0.2 PPM
Fluoranthene	206-44-0	0.2 PPM
Fluorene	86-73-7	0.2 PPM
Indeno[1,2,3-cd]pyrene	193-39-5	0.2 PPM
Naphthalene	91-20-3	0.2 PPM
Phenanthrene	85-01-8	0.2 PPM
Pyrene	129-00-0	0.2 PPM
Acenaphthene	83-32-9	0.2 PPM

Solvents/Residuals

Analyte	CAS Number	Required Detection Limit
bis(2-(2-methoxyethoxy)ethyl) ether; Tetraglyme	143-24-8	10 PPM
DMFa	68-12-2	10 PPM
N-Methyl-2-pyrrolidone; 1-methyl-2-pyrrolidone (NMP)	872-50-4	10 PPM
N,N-dimethylacetamide (DMAC)	127-19-5	10 PPM
Formamide	75-12-7	50 PPM
N-Ethyl-2-pyrrolidone (NEP)	2687-91-4	10 PPM

UV Absorbers / Stabilizers

Analyte	CAS Number	Required Detection Limit
UV 320	3846-71-7	100 PPM
UV 327	3864-99-1	100 PPM
UV 328	25973-55-1	100 PPM
UV 350	36437-37-3	100 PPM
Drometrizole	2440-22-4	100 PPM

Quinoline

Analyte	CAS Number	Required Detection Limit
Quinoline	91-22-5	10 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

APPENDIX TWO – MIGRATION OF CERTAIN ELEMENTS

Migration of Certain Elements

Analyte	CAS Number	Required Limit
Aluminium	7429-90-5	28 130 PPM
Antimony	7440-36-0	560 PPM
Arsenic	7440-38-2	47 PPM
Barium	7440-39-3	18 750 PPM
Boron	7440-42-8	15 000 PPM
Cadmium	7440-43-9	17 PPM
Chromium (III)	16065-83-1	460 PPM
Chromium (VI)	18540-29-9	0.053 PPM
Cobalt	7440-48-4	130 PPM
Copper	7440-50-8	7700 PPM
Lead	7439-92-1	23 PPM
Manganese	7439-96-5	15 000 PPM
Mercury	7439-97-6	94 PPM
Nickel	7440-02-0	930 PPM
Selenium	7782-49-2	460 PPM
Strontium	7440-24-6	56 000 PPM
Tin	7440-31-5	180 000 PPM
Organic tin compounds	10584-98-2, 1067-33-0, 15571-58-1, 26636-01-1, 68109-88-6, 27107-89-7, 57583-34-3, 57583-35-4, 77-58-7, 78-04-6, 15546-11-9	12 PPM
Zinc	7440-66-6	46 000 PPM

BURBERRY

Product Restricted Substances List – Version July 2024

APPENDIX THREE – DEFINITIONS AND ABBREVIATIONS

PPM	Part per million, equivalent of mg/kg
Detection Limit	Lowest limit value that can be detected by the selected test method. Below this limit, the report will mention 'Not Detected'
Prolonged Skin Contact	Items that have the possibility to have direct skin contact e.g. lining in outerwear
CAS Number	Unique numerical identifiers assigned by Chemical Abstracts Service to every chemical substance
Infant	All products intended for children under the age of 36 months or 100cm height
Kid	All products intended for children from 36 months up to the age of 14 years
Adult	All products intended for people from the age of 16 years old and above
Global Partner	A company that supplies Burberry directly or indirectly with stock items
N/A	Not applicable
Natural Components	Amongst others: mother-of-pearl, horn, corozo (nut), straw, etc.
Other Non-chrome Tanned Leather	Leathers with other tanning methods such as synthetic and vegetable tanning
Gemstone	Amongst others: glass, Swarovski crystal, precious stones, etc.
Textile childcare articles	Cot bumpers, sleep bags and duvets/quilts for children which are used in the child's sleeping environment

BURBERRY

Product Restricted Substances List – Version July 2024

APPENDIX FOUR – MATERIALS IN SCOPE

EXAMPLES OF MATERIALS WITHIN THE SCOPE OF EACH MATERIAL CATEGORY. THIS LIST IS NOT EXHAUSTIVE.

Natural Fibres Including semi-synthetics	Synthetic Fibres	Coatings & Prints	Natural Materials	Gemstones	Polymers, Plastics, Foams, Natural Rubber & Synthetic Rubber
<ul style="list-style-type: none"> • Cotton • Wool • Silk • Hemp • Cashmere • Linen • Animal hair • Viscose (semi-synthetic) • Lyocell (semi-synthetic) • Acetate (semi-synthetic) 	<ul style="list-style-type: none"> • Polyester • Acrylic • Polyamide 	<p>Printing techniques such as:</p> <ul style="list-style-type: none"> • Heat transfers • Dye Sublimation printing • Digital printing • Screen printing • Discharge printing <p>Coatings such as:</p> <ul style="list-style-type: none"> • Polyurethane (PU) • UV-cured • TPU 	<ul style="list-style-type: none"> • Horn • Bone • Cork • Wood • Paper • Straw • Stone • Mother of Pearl • Corozo 	<ul style="list-style-type: none"> • Glass • Crystal • Precious / Semi-Precious stones 	<ul style="list-style-type: none"> • Ethylene vinyl acetate (EVA) • Polystyrene (PS) • Polyethylene (PE) • Acrylonitrile butadiene styrene (ABS) • Neoprene • Polypropylene (PP) • Polycarbonate (PC) • Polyamide (PA) • Polyurethane (PU) • Polyvinyl chloride (PVC) • Thermoplastic polyurethane (TPU) • Thermoplastic elastomer (TPE) • Styrene ethylene butylene styrene (SEBS) • Polyethersulfone (PESU) • Styrene Butadiene Rubber (SBR) • Styrene Butadiene Styrene (SBS) • High Density Polyethylene (HDPE) • Low Density Polyethylene (LDPE)

BURBERRY

Product Restricted Substances List – Version July 2024

APPENDIX FIVE – ACKNOWLEDGEMENT

Partner: [PARTNER COMPANY NAME]

Location: [COUNTRY]

Date: [DD.MM.YYYY]

[PARTNER ORGANISATION] is committed to the elimination of hazardous chemicals in all products supplied to Burberry. [PARTNER ORGANISATION] hereby acknowledges that it has reviewed the Burberry PRSL 2024 and acknowledges it is responsible for compliance with this document.

This commitment extends to ensuring all upstream suppliers are meeting the minimum requirements of the Burberry PRSL 2024.

We believe in the importance of eliminating these chemicals for the health of our employees, the environment and the public.

This document shall be reviewed annually as part of a Chemical Management Review.

Yours sincerely,

[Name]

[Job Title]

[Company]