BURBERRY

ESTABLISHED 1856

GLOBAL WATER TESTING SUMMARY

Group 2 Detox Test Summary (First 24 Sites)

			1		2		3		4		5				6		7		8		9			10		11		12		13		14		15		16		17			18		19		20		21		22		23		24		
	Chemical substances	**Detection limit**	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	WW before treat 2	WW before treat 3	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming1	Incoming2	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming1	Incoming2	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming	WW before treat 1	Incoming 1	Incoming 2	WW before treat 1
Phthalates (Ortho-Phthalates)	Bis (2-ethylhexyl) phthalate (DEHP)	1 ug/L								2																109		9													12						13							
	Butyl benzyl phthalate (BBP)	1 ug/L										5																													8												
	Di-n-butyl phthalate (DBP)	1 ug/L																										6																								
	Diethyl phthalate	1 ug/L										4																																									
	Dimethyl phthalate	1 ug/L																																																		
	Di-n-octyl phthalate (DNOP)	1 ug/L																																																	
	Di-isononyl phthalate (DINP)	1 ug/L																																																	
	Di-iso-decyl phthalate (DIDP)	1 ug/L																																																	
	Di-isobutyl phthalate (DIBP)	1 ug/L										3																																								
	Di-n-hexyl phthalate	1 ug/L																																																		
	Dimethoxyethyl phthalate (DMEP)	1 ug/L																																																	
	Di-n-propyl phthalate (DPRP)	1 ug/L																																																	
	Di-iso-octyl phthalate (DIOP)	1 ug/L														3																5		4		5																
	Di-cyclohexyl phthalate (DCHP)	1 ug/L																																																	
	Dinonyl phthalate (DNP)	1 ug/L																																																	
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	Nonylphenol	1 ug/L																																																	
	Octylphenol	1 ug/L																																																	
	Nonylphenol monoethoxylates, NP1EO	5 ug/L																																	31																
	Nonylphenol diethoxylates, NP2EO	5 ug/L																																	31																
	Octylphenol monoethoxylates, OP1EO	5 ug/L																																																	
	Octylphenol monoethoxylates, OP2EO	5 ug/L																																																	
	Nonylphenolethoxylates, n=4 to n=15	5 ug/L				7				9		30	45	26												88								6							15		98					8.2						
	Octylphenolethoxylates, n=4 to n= 15	5 ug/L																																																	
Perfluorinated Chemicals (PFCs)	Perfluorooctanoic acid (PFOA)	0.01 ug/L													0.04	0.14																																					
	Perfluorooctane sulphonates (PFOS)	0.01 ug/L																																																	
	Perfluoro-n-hexanoic acid (PFHxA)	0.01 ug/L																																																	
	Perfluorohexane sulphonates (PFHxS)	0.01 ug/L																																																	
	Perfluorobutanoic acid (PFBA)	0.01 ug/L																																																	
	Perfluorobutane sulphonates (PFBS)	0.01 ug/L																																																	
Brominated And Chlorinated Flame Retardants	Polybromodiphenyl ethers (PBDEs)	0.05 ug/L																																																	
	Polybromobiphenyls (PBBs)	0.05 ug/L																																																	
	Tris(2,3-dibromopropyl) phosphate (TDBPP)	0.5 ug/L																																																	
	Tetrabromobisphenol A (TBBPA)	0.5 ug/L																																																	
	Tris(2-chloroethyl) phosphate (TCEP)	0.05 ug/L																																																	
	Bis(2,3-dibromopropyl) phosphate	0.5 ug/L																																																	
	Hexabromocyclododecane (HBCDD)	0.5 ug/L																																																	
	2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	0.5 ug/L																																																	
	Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	0.05 ug/L																																																	
Azo Dyes	1,4-Phenylenediamine	0.1 ug/L																																																	
	2,4,5-Trimethylaniline	0.1 ug/L																																																	
	2,4-Diaminoanisole	0.1 ug/L																																																	
	2,4-Diaminotoluene	0.1 ug/L																																																	
	2,4-Xylidine	0.1 ug/L																																																	
	2,6-Xylidine	0.1 ug/L																																																	
	2-Chloroaniline	0.1 ug/L																																																	
	2-Naphthylamine	0.1 ug/L																																																	
	3,3'-Dichlorobenzidine	0.1 ug/L																																																	
	3,3'-Dimethoxybenzidine	0.1 ug/L																																																	
	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	0.1 ug/L																																																	
	3,3'-Dimethylbenzidine	0.1 ug/L																																																	
	4,4'-Diaminodiphenylmethane	0.1 ug/L																																																	
	4,4'-Methylene-bis(2-chloroaniline)	0.1 ug/L																																																	
	4,4'-Oxydianiline	0.1 ug/L																																																	
	4,4'-Thiodianiline	0.1 ug/L																																																	
	4-Aminobiphenyl	0.1 ug/L																																																	
	4-Chloroaniline	0.1 ug/L																																																	
	4-Chloro-o-toluidine	0.1 ug/L																																																	
	5-Nitro-o-anisidine	0.1 ug/L																																																	
	5-Nitro-o-toluidine	0.1 ug/L																																																	
	4-Aminoazobenzene	0.1 ug/L																																																	
	Aniline	0.1 ug/L								2.3																				1						1.7																
	Benzidine	0.1 ug/L																																																	
	m-Toluidine	0.1 ug/L																																																	
	n,n-Diethylanaline	0.1 ug/L																																																	
	n-Ethylaniline	0.1 ug/L																																																	
	n-Methylaniline	0.1 ug/L																																																	
	o-Aminoazotoluene	0.1 ug/L																																																	
	o-Anisidine	0.1 ug/L																																																	
	o-Toluidine	0.1 ug/L																																																	
	p-Cresidine	0.1 ug/L																																																	
	p-Toluidine	0.1 ug/L																																																	
Organotin Compounds	Monobutyltin	0.01 ug/L											5.8	11.7																																						
	Dibutyltin	0.01 ug/L											17.1	21.6																																						
	Tributyltin	0.01 ug/L																																																	
	Tetrabutyltin	0.01 ug/L																																																	
	Monooctyltin	0.01 ug/L																																																	
	Dioctyltin	0.01 ug/L																																																	
	Triphenyltin	0.01 ug/L																																																	
	Tricyclohexyltin	0.01 ug/L																																																	
	Trioctyltin	0.01 ug/L																																																	
	Tripropyltin	0.01 ug/L																																																	
	Chlorobenzene	0.02 ug/L																																																	
	4-Chlorotoluene	0.02 ug/L																																																	
	1,2-Dichlorobenzene	0.02 ug/L																						0.03			0.06																								0.01	0.32	0.34					0.19	0.25			
	1,3-Dichlorobenzene	0.02 ug/L				0.94		1.1												2.16																												0.05										

| | | |